


No. 151

*Recd Oct. 2, 1933  
Sent for Sept. 25, 1933*

**BOURNE & BOND**



# Gun Repair Parts

For Repairing All Standard Made  
Guns, Rifles and Revolvers

**Bourne & Bond Catalog No. 151**

#### OUR FAMOUS "SUDDEN SERVICE" REPAIR DEPARTMENT

For over twenty-six years Bourne & Bond has specialized in furnishing parts and repairing all standard firearms. We offer you the advantages of these years of experience and training. When your gun is sent in to us, you are assured of the highest grade of workmanship—equal to that of the producing factory itself—and, in addition, a saving of many days' time. Our "Sudden Service" on repair jobs is famous throughout this section of the country. An order for parts is filled and sent out the same day order in received by us.

#### AUTHORIZED SERVICE STATION

For Winchester Repeating Arms Co. Remington Arms Co. Browning Arms Co.

#### PLEASE OBSERVE THESE INSTRUCTIONS IN SENDING US ORDERS

When sending in a gun or part for repair, or replacement, be sure to tag it, on the inside of package, with your name and address, writing us a letter of instruction at the same time. We will in all cases, give you an estimate of cost before doing any repair work.

Shipments must be made by prepaid express. Remember, **REVOLVERS** cannot be sent by mail, although parts of same can be mailed. Always send us the part to be replaced, when possible—it insures your receiving the proper part wanted. In some cases you will note in catalog certain gun parts must be returned when ordering parts for them. Please read instructions given with each listing of parts and follow them exactly.

Minimum order handled is 25c. If you order only one small part, listed at less than 25c in catalog, you must inclose 25c for it.

Be sure your name and address is inside and outside every package sent to us.

# BOURNE & BOND

INCORPORATED

640 South Fourth Street

Louisville, Kentucky

# BOURNE & BOND GUN REPAIR SHOP

WE REPAIR ANY STANDARD-MAKE FIREARM

## OFFICIAL SERVICE STATION

WINCHESTER REPEATING ARMS CO.

BROWNING ARMS CO.

REMINGTON ARMS CO.

Our shop is designated as an authorized official service station by The Winchester Repeating Arms Company, The Remington Arms Company, and Browning Arms Company. We carry a complete stock of parts for these makes of firearms.

### SHOT GUNS RE-STOCKED

- No. 1. Grade Re-Stock, plain checking, especially adapted for low-grade Hammer and Hammerless Guns. Price.....\$13 50  
No. 2. Grade Re-Stock, medium Curly Walnut Stock, with a good quality of checkering, especially suitable for guns varying in price from \$30.00 to \$75.00. Price ..... 20 00  
No. 3. Grade Re-Stock, made from fancy Curly English Grade Walnut, special checkering job. Price..... 30 00

### CHANGING OF DROP OF STOCK

We specialize in this work and are prepared to either straighten the stock or give it more drop with certain variations. On Winchester guns, the drop may be changed either way as much as 1½ in. Cost ..... \$3 00  
Changing the drop of a stock of double barrel gun as much as ½ in. either way will cost..... 5 00

### FITTING AND TESTING RIFLE SIGHTS

We are prepared to make accurate tests of sights, refitting, etc., price of which varies from .....\$0 75 to \$2 00

### HAND MADE PARTS

The making of hand-made parts from rough steel requires a skilled mechanic. We are prepared to make main springs and other parts from the crude steel, properly tempering same, the cost of which varies from.....\$5 00 to \$7 50

### REBORING SHOT GUN BARRELS AT THE MUZZLE, THEREBY MAKING A FULL CHOKE BARREL EITHER MODIFIED OR CYLINDER BORE

- Removing Choke Bore from a Single Barrel Gun ..... \$2 50  
Removing Choke Bore from a Double Barrel Gun ..... 4 00  
Rechambering and fitting New Bushing in Chamber of 22 cal. Rifles..... 2 50  
Cutting off Shot Gun Barrels, refinishing and refitting sights of a Single Barrel Gun (except Automatics)..... 1 25  
Cutting off Shot Gun Barrels, refinishing and refitting sights of a Double Barrel Gun ..... 2 50  
Removing of dents in the barrels of a Shot Gun—cost varies from.....\$1 50 to \$5 00

### RECOIL PADS FITTED

We have an expert for fitting Rubber Recoil Pads, which includes the finishing work of the stock, thereby making a perfect fit

- Akron Rubber Recoil Pad, fitted ..... \$5 00  
Jostam Anti-Flinch Recoil Pad, fitted ..... 5 00  
Hawkins Recoil Pad, fitted ..... 5 00  
D-W Recoil Pad, fitted ..... 5 00  
Jostam 1 Layer Sponge Rubber Pad, fitted ..... 3 00  
Jostam 2 Layer Sponge Rubber Pad, fitted ..... 4 00  
Jostam 3 Layer Sponge Rubber Pad, fitted ..... 5 00  
Cutting off of stock and refitting same with Recoil Pad ..... 2 50  
The fitting of a pair of Lyman Ivory Shot Gun Sights..... 1 50  
The fitting of a Bradley Ivory Front Sight ..... 1 00  
Cleaning lock and action of all standard make of Shot Guns, varying in price according to time required ..... \$1 50 to \$ 2 50  
Hand-made Fore-Ends, which includes supplying of the iron and wood part of all standard make of Guns, varying in price from ..... \$5 00 to \$10 50

### RENICKELING OR REBLUING REVOLVERS

- Small Size Frame, Standard Make Revolver ..... \$7 50  
Medium Size Frame, Standard Make Revolver ..... 9 00  
Very Large Size Frame, Standard Make Revolver.....\$10 00 to \$12 00

### TENNIS RACKET RESTRINGING

- No. 6A—Monogram spiral tournament gut, fine gauge and for those players who want an extra fast racket for tournaments—white with black spiral ..... \$9 00  
No. 5A—Monogram service gut—green, white, orange or golden, split lambs gut ..... 6 00  
No. 4A—Monogram split gut—green, white, orange or golden..... 5 00  
No. 3A—Highest quality twisted silk and fibre. Looks like real gut with same resiliency, but longer wear—Colors, white, green, orange ..... 3 50  
No. 2A—Good quality twisted silk and fibre—a perfect gut substitute—white, green, orange ..... 2 25  
No. 0A—Dayton steel strings for steel rackets only (8-day delivery from factory) ..... 5 50

### GOLF CLUBS REPAIRED

Golf Club Shafts and Heads fitted; also re-wrapping and fitting Grips. Iron Clubs refinished—made like new.

### SHIPPING INSTRUCTIONS

When sending any kind of work to us, you may send parcel post or paid express, in which event mark package for "Repair Department"; tag the article with your name and address and at the same time write us fully. Be sure to prepay. Revolver part may be sent by mail but entire revolvers must be sent by express.

# GUN PARTS FOR REPAIRING

The parts listed here do not come fitted or case-hardened; they must be fitted by a gunsmith and are made for hand-made guns only. To fit them here, we must have the entire gun.

In ordering parts always send us the old parts for duplication. This is necessary because no two guns have part exactly alike. All parts for American-made guns can be furnished ready to go into the gun.


## BREECH LOADING GUN HAMMERS



No. 95  
No. 204  
No. 200

Each, Net  
Breech-loading Gun Hammers, filed ..... \$1 15  
Breech-loading Gun Hammers, fitted and case-hardened.... 2 50


## MAINSPRINGS



No. 66  
No. 57  
No. 53

Each, Net  
Mainsprings, best quality, filed and polished..... \$0 90  
Same, fitted ..... 1 50

## TRIGGERS




LEFT, No. 194

Each, Net  
Filed Triggers ..... \$0 40  
Same, fitted ..... \$1 25 to 2 50

In ordering triggers, please specify right or left.

## GUARDS



No. 390

Each, Net  
Trigger Guards, finished and engraved ..... \$1 15  
Same fitted ..... \$1 50 to 2 00

## A STOCK OF THOUSANDS OF PARTS

We carry thousands of parts not listed in this catalog. If you do not find listed the parts you need, write us, giving the name of the firearm, calibre, model, etc.

Unless it is absolutely obsolete, we will be able to furnish the parts.

If you send an old part in for replacement, be sure to attach your name and address to the part.

## SWIVELS




No. 19

Each, Net

Steel Swivels, filed ..... \$0 20  
Same, fitted ..... 75

## SEARS




No. 81

Each, Net

Steel Sears, filed ..... \$0 40  
Same, fitted ..... 1 25


## LEVERS



No. 73

No. 71. Top Levers, finished, each, net ..... \$1 50  
Same, fitted, each, net ..... \$3 00 to 4 50  
No. 73. Side Levers, finished, each, net ..... 1 50  
Same, fitted, each, net ..... \$3 00 to 4 50  
No. 81. Milled Extractors, each, net ..... 1 15  
Same, fitted, each, net ..... \$3 00 to 4 00

## EXTRACTORS



No. 81

In all cases where extractors are to be fitted, it is absolutely necessary to have the entire gun in order to do the work.

## GUN SCREWS



No. 2



No. 6



No. 12




No. 15

Each, Net  
No. 2. Finished side pins ..... \$0 20  
No. 6. Finished cross pins ..... 20  
No. 12. Side Screw ..... .20  
No. 15. Tumbler pins, fine quality ..... 20  
Fitting any of above ..... 50

Add four cents extra for postage.

**BREECH LOADING PLUNGERS**  
Springs and Seats




|                                   |             |         |         |         |         |
|-----------------------------------|-------------|---------|---------|---------|---------|
| No. 11.                           | No. 15.     | No. 15X | No. 26. | No. 13. | No. 10. |
| No. 11. Small, straight, finished | .....\$0 40 |         |         |         |         |
| Same, fitted                      | ..... 75    |         |         |         |         |
| No. 15. Solid head, finished      | ..... 40    |         |         |         |         |
| Same, fitted                      | ..... 1 25  |         |         |         |         |
| No. 15X. Straight solid head      | ..... 40    |         |         |         |         |
| Same fitted                       | ..... 1 25  |         |         |         |         |
| No. 26. Doll's head, finished     | ..... 40    |         |         |         |         |
| Same, fitted                      | ..... 1 50  |         |         |         |         |
| No. 13. Plunger Springs, finished | ..... 40    |         |         |         |         |
| Same, fitted                      | ..... 40    |         |         |         |         |
| No. 10. Plunger Seats, finished   | ..... 40    |         |         |         |         |
| Same, fitted                      | ..... 1 25  |         |         |         |         |

**FINISHED TOP LEVER SPRINGS.**



|                                       |                  |
|---------------------------------------|------------------|
| Finished Top Lever Springs, each, net | .....\$0 75      |
| Same, fitted, each net                | ..... 75 to 1 50 |


**COMPONENT PARTS OF THE COLT AUTOMATIC POCKET MODEL. HAMMERLESS. 25 CALIBER.**



|                               |              |                               |             |
|-------------------------------|--------------|-------------------------------|-------------|
| 1 Receiver                    | .....\$11 25 | 16-BSlide Lock Safety Plunger | .....\$0 10 |
| 2 Slide                       | ..... 4 15   | 17 Grip Safety                | ..... 90    |
| 3 Barrel                      | ..... 2 25   | 18 Grip Safety Pin            | ..... 03    |
| 4 Extractor                   | ..... 30     | 19 Sear Pin                   | ..... 03    |
| 5 Extractor Spring            | ..... 05     | 20 Retractor Spring           | ..... 15    |
| 6 Extractor Pin               | ..... 03     | 21 Retractor Spring Guide     | ..... 40    |
| 7 Firing Pin                  | ..... 75     | (complete with Safety         | ..... 40    |
| 8 Main Spring                 | ..... 15     | Disconnector Plunger          | ..... 40    |
| 9 Main Spring Guide           | ..... 15     | 22 Magazine Catch             | ..... 40    |
| 10 Trigger                    | ..... 40     | 23 Magazine, complete         | ..... 1 00  |
| 11 Connector                  | ..... 75     | 24 Magazine Spring            | ..... 25    |
| 12 Trigger Pin                | ..... 03     | 25 Magazine Follower          | ..... 10    |
| 13 Sear Stop Pin              | ..... 03     | 26 Stocks, per pair           | ..... 1 50  |
| 14 Sear                       | ..... 45     | 27 Stock Screw                | ..... 03    |
| 15 Sear, Safety, Trigger, and | ..... 25     | 28 Safety Disconnector        | ..... 55    |
| Magazine Catch Spring         | ..... 70     | Escutcheons                   | ..... 10    |
| 16 Slide Lock Safety          | ..... 10     |                               |             |


In ordering parts, please be sure to give number of Pistol, as improvements have been made since first issue.

**BUTT PLATES**




No. 34. Hard Rubber Butt Plates, assorted patterns, each, net.....\$1 10  
Same, fitted, each, net ..... 2 00

**FORE-END IRONS**



No. 76. Milled fore-ends, each, net ..... \$2 50  
Fitting fore-end, complete, each, net ..... \$7 50 to 10 00

**COMPONENT PARTS COLT AUTOMATIC PISTOL**  
(Caliber .45, Government Model)




|                        |              |                             |             |
|------------------------|--------------|-----------------------------|-------------|
| 1 Receiver             | .....\$15 00 | 29 Main Spring Cap Pin      | .....\$0 00 |
| 2 Barrel               | ..... 3 75   | 30 Sear                     | ..... 4     |
| 3 Slide                | ..... 9 00   | 31 Sear Spring              | ..... 3     |
| 4 Plunger Tube         | ..... 60     | 32 Sear Pin                 | ..... 0     |
| 5 Slide Stop Plunger   | ..... 08     | 33 Disconnector             | ..... 6     |
| 6 Plunger Spring       | ..... 03     | 34 Trigger                  | ..... 1 1   |
| 7 Safety Lock Plunger  | ..... 08     | 35 Grip Safety              | ..... 1 1   |
| 8 Slide Stop           | ..... 1 20   | 36 Safety Lock              | ..... 1 5   |
| 9 Rear Sight           | ..... 38     | 37 Main Spring Housing      | ..... 1 1   |
| 10 Front Sight         | ..... 15     | 38 Housing Pin              | ..... 0     |
| 11 Link                | ..... 23     | 39 Housing Pin Retainer     | ..... 0     |
| 12 Link Pin            | ..... 08     | 40 Lanyard Loop             | ..... 0     |
| 13 Barrel Bushing      | ..... 75     | 41 Lanyard Loop Pin         | ..... 0     |
| 14 Recoil Spring       | ..... 15     | 42 Magazine Tube            | ..... 0     |
| 15 Recoil Spring Guide | ..... 45     | *43 Magazine Base           | ..... 0     |
| 16 Plug                | ..... 15     | *44 Magazine Pins (2)       | ..... 1 5   |
| 17 Extractor           | ..... 60     | *45 Magazine Loop           | ..... 0     |
| 18 Ejector             | ..... 53     | 46 Magazine Spring          | ..... 6     |
| 19 Ejector Pin         | ..... 08     | 47 Magazine Follower        | ..... 0     |
| 20 Firing Pin          | ..... 38     | 48 Magazine Catch           | ..... 6     |
| 21 Firing Pin Spring   | ..... 08     | 49 Magazine Catch           | ..... 0     |
| 22 Firing Pin Stop     | ..... 45     | Spring                      | ..... 0     |
| 23 Hammer              | ..... 1 13   | 50 Magazine Catch Lock      | ..... 1     |
| 24 Hammer Pin          | ..... 08     | 51 Stocks, right and left-  | ..... 3 0   |
| 25 Hammer Strut        | ..... 30     | hand, pair                  | ..... 0     |
| 26 Hammer Strut Pin    | ..... 08     | 52 Stock Screws (4), each   | ..... 0     |
| 27 Main Spring         | ..... 08     | 53 Screw Bushings (4), each | ..... 0     |
| 28 Main Spring Cap     | ..... 08     |                             |             |

\*These parts not shown separately in cut.

NOTE: When ordering parts, please be sure to give number of pistol and state "Government Model," as parts are different from the previous caliber. 4 Colt Automatic Pistol.


Add four cents extra for postage.

Colt "Double Action" Revolvers, .38 and .41 Calibers




|                             |        |                               |        |
|-----------------------------|--------|-------------------------------|--------|
| Guard .....                 | \$2 25 | 25 Base Pin Catch Screw ..... | \$0 10 |
| Strap .....                 | 2 00   | 26 Sear Screw .....           | 10     |
| Ejector Tube .....          | 2 40   | 27 Gate Catch .....           | 10     |
| Hammer .....                | 2 50   | 28 Ejector Tube Screw .....   | 10     |
| Trigger .....               | 90     | 29 Front Strap Screw .....    | 10     |
| Base Pin .....              | 35     | 30 Mainspring Set Screw ..... | 10     |
| Hammer Stirrup .....        | 40     | 31 Rear Guard Screw .....     | 10     |
| Sear .....                  | 80     | 32 Mainspring Screw .....     | 10     |
| Strut .....                 | 40     | 33 Trigger Roll .....         | 10     |
| Bolt .....                  | 90     | 34 Latch Screw .....          | 10     |
| Hand .....                  | 35     | 35 H'd and Strut Spring       |        |
| Sear and Bolt Spring .....  | 30     | Screw .....                   | 10     |
| Trigger Spring .....        | 40     | 36 Trigger Spring Screw ..... | 10     |
| Mainspring .....            | 75     | 37 Front Guard Screw .....    | 10     |
| Ejector Rod and H'd .....   | 75     | 38 Rear Strap Screw .....     | 10     |
| Ejector Spring .....        | 15     | Ejector, rod only .....       | 30     |
| Gate Spring .....           | 10     | Ejector, head only .....      | 45     |
| Base Pin Catch Spring ..... | 10     | Cylinder .....                | 3 50   |
| Strut Spring .....          | 15     | Barrel, with sight .....      | 4 00   |
| Hand Spring .....           | 15     | Barrel Sight .....            | 40     |
| Stock Screw .....           | 10     | Lock Frame .....              | 9 00   |
| Hammer Screw .....          | 10     | Lock Frame Gate .....         | 1 25   |
| Trigger Screw .....         | 10     | Stocks, per pair .....        | 1 15   |
| Base Pin Catch Nut .....    | 10     | Escutcheons, per set .....    | 10     |

Automatic Colt Pistol, .32 Caliber, Pocket Model



|                              |         |                                 |        |
|------------------------------|---------|---------------------------------|--------|
| Receiver .....               | \$12 75 | 20 Sear, Safety, and Trigger    |        |
| Barrel .....                 | 3 75    | Spring .....                    | \$0 15 |
| Slide .....                  | 4 50    | 21 Mainspring .....             | 60     |
| Front Firing Pin .....       | 20      | 22 Plug .....                   | 20     |
| Rear Firing Pin .....        | 15      | 23 Plug Pin .....               | 03     |
| Firing Pin Spring .....      | 03      | 24 Ejector .....                | 70     |
| Rear Sight .....             | 30      | 25 Ejector Pin .....            | 03     |
| Firing Pin Lock Pin .....    | 05      | 26 Retractor Spring .....       | 15     |
| Shell Extractor .....        | 30      | 27 Retractor Spring Guide ..... | 25     |
| Shell Extractor Spring ..... | 05      | 28 Automatic Grip Safety .....  | 1 15   |
| Shell Extractor Pin .....    | 03      | 29 Automatic Safety Pin .....   | 03     |
| Barrel Lock .....            | 75      | 30 Magazine Catch .....         | 40     |
| Hammer .....                 | 55      | 31 Magazine, complete with      |        |
| Slide Lock Safety .....      | 60      | Follower and Spring .....       | 1 00   |
| Hammer Roll .....            | 05      | 32 Magazine Follower .....      | 10     |
| Hammer Roll Pin .....        | 03      | 33 Magazine Spring .....        | 30     |
| Trigger .....                | 1 15    | 34 Scales, right and left       |        |
| Sear .....                   | 55      | hand .....                      | 1 50   |
| Safety .....                 | 60      | Scale Screw .....               | 03     |
| Sear and Safety Pin .....    | 03      | Escutcheons, per set .....      | 10     |


"Army" and "Navy" Double Action Colt Revolvers .38 and .41 Calibers



The above parts are suitable for all New Navy and New Army Revolvers made, excepting Nos. 32 and 33, which are adapted to the first model New Navy made without Cylinder Bolt or Automatic Safety Device. In ordering, give number of part.

|                               |        |                               |        |
|-------------------------------|--------|-------------------------------|--------|
| 1 Hammer .....                | \$2 70 | 22 Ejector and Ratchet .....  | \$1 20 |
| 2 Trigger .....               | 90     | 23 Ejector Rod .....          | 50     |
| 3 Trigger Pin .....           | 05     | 24 Ejector Head .....         | 25     |
| 4 Crane .....                 | 3 75   | 25 Ejector Spring .....       | 15     |
| 5 Latch .....                 | 2 75   | 26 Rebound Spring .....       | 50     |
| 6 Latch Spring .....          | 10     | 27 Rebound Spring Pin .....   | 10     |
| 7 Latch Pin .....             | 10     | 28 Mainspring .....           | 75     |
| 8 Rebound Lever .....         | 80     | 29 Mainspring Set Screw ..... | 10     |
| 9 Hand and Hand Spring .....  | 60     | 30 Stock Screw .....          | 10     |
| 10 Strut .....                | 40     | 31 Side Plate Screw .....     | 10     |
| 11 Strut Spring .....         | 10     | 32 Trigger, '89 Model .....   | 1 00   |
| 12 Strut Pin .....            | 10     | 33 Hand and Hand Spring,      |        |
| 13 Hammer Stirrup .....       | 30     | '89 Model .....               | 45     |
| 14 Hammer Stirrup Pin .....   | 10     | Barrel .....                  | 3 75   |
| 15 Hammer Pin .....           | 10     | Cylinder .....                | 5 25   |
| 16 Crane Lock .....           | 25     | Swivel Stud .....             | 50     |
| 17 Crane Lock Screw .....     | 10     | Lock Frame .....              | 10 60  |
| 18 Crane Bushing .....        | 10     | Stock, per pair .....         | 1 50   |
| 19 Bolt and Spring Bolt ..... | 50     | Escutcheons, per set .....    | 10     |
| 20 Locking Lever .....        | 15     | Slide Plate .....             | 1 50   |
| 21 Locking Lever Screw .....  | 10     |                               |        |

Parts for Colt Police Positive .32 and .38 Caliber Revolvers



Specify in ordering whether "Police Positive" or "Police Positive Special"

|                            |        |                                   |        |
|----------------------------|--------|-----------------------------------|--------|
| 1 Hammer, complete .....   | \$2 50 | 22 Trigger Pin .....              | \$0 10 |
| 2 Hammer Pin .....         | 10     | 23 Ejector and Ratchet .....      | 1 10   |
| 3 Hammer Stirrup .....     | 30     | 24 Ejector Rod .....              | 45     |
| 4 Hammer Stirrup Pin ..... | 10     | 25 Ejector Rod Head .....         | 20     |
| 5 Safety .....             | 40     | 26 Ejector Spring .....           | 15     |
| 6 Safety Lever .....       | 15     | 27 Bolt .....                     | 75     |
| 7 Strut .....              | 40     | 27a Bolt Spring .....             | 10     |
| 8 Strut Spring .....       | 10     | 28 Bolt Screw .....               | 10     |
| 9 Strut Pin .....          | 10     | 29 Rebound Lever .....            | 1 10   |
| 10 Firing Pin .....        | 25     | 30 Rebound Lever Pin .....        | 10     |
| 11 Firing Pin Rivet .....  | 10     | 31 Stock Pin .....                | 10     |
| 12 Hand .....              | 60     | 32 Stock Screws .....             | 10     |
| 13 Main Spring .....       | 60     | 33 Side Plate Screw .....         | 10     |
| 14 Crane .....             | 3 50   | Frame and Side Plate .....        | 17 00  |
| 15 Crane Bushing .....     | 10     | Side Plate .....                  | 2 25   |
| 16 Crane Lock .....        | 25     | Cylinder .....                    | 5 50   |
| 17 Crane Lock Screw .....  | 10     | Barrel .....                      | 3 40   |
| 18 Latch .....             | 1 15   | Recoil Plate .....                | 10     |
| 19 Latch Spring .....      | 10     | Stocks, Rubber, per pair .....    | 1 15   |
| 20 Latch Pin .....         | 25     | Stocks, Checked Walnut, pr. ..... | 2 00   |
| 21 Trigger .....           | 1 00   | Escutcheons, per set .....        | 10     |

## PRICE LIST OF PARTS OF SMITH &amp; WESSON REVOLVERS AND TARGET PISTOLS

|                                      | 32<br>Safety<br>Ham-<br>merless | 38<br>Safety<br>Ham-<br>merless | 22—32<br>Heavy<br>Frame | 32<br>Hand<br>Ejector<br>M/1903 | 32—38<br>Regula'n<br>Police | 38<br>Hand<br>Ejector<br>M/1905 | 44<br>Hand<br>Ejector |
|--------------------------------------|---------------------------------|---------------------------------|-------------------------|---------------------------------|-----------------------------|---------------------------------|-----------------------|
| Barrel .....                         | \$8.00                          | \$8.70                          | *\$7.40                 | *\$7.40                         | *\$6.50                     | *\$8.70                         | *\$9.70               |
| Barrel Complete .....                |                                 |                                 |                         |                                 |                             |                                 |                       |
| Barrel Catch .....                   | .90                             | 1.30                            |                         |                                 |                             |                                 |                       |
| Barrel Catch Cam .....               | .40                             | .40                             |                         |                                 |                             |                                 |                       |
| Barrel Catch Cam Spring .....        | .20                             | .20                             |                         |                                 |                             |                                 |                       |
| Barrel Catch Center Piece .....      |                                 |                                 |                         |                                 |                             |                                 |                       |
| Barrel Catch Screw .....             | .10                             | .10                             |                         |                                 |                             |                                 |                       |
| Barrel Pin .....                     |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .10                   |
| Base Pin .....                       | .60                             | .60                             |                         |                                 |                             |                                 |                       |
| Bolt (fully assembled) .....         |                                 |                                 | 1.20                    | 1.20                            | 1.20                        | 1.20                            | 1.40                  |
| Bolt Plunger .....                   |                                 |                                 | .20                     | .20                             | .20                         | .20                             | .30                   |
| Bolt Spring .....                    |                                 |                                 | .20                     | .20                             | .20                         | .20                             | .20                   |
| Bolt Screw .....                     |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .10                   |
| Center Pin .....                     |                                 |                                 | .30                     | .30                             | .35                         | .60                             | .70                   |
| Center Pin Collar .....              |                                 |                                 |                         |                                 |                             |                                 | .10                   |
| Center Pin Spring .....              |                                 |                                 | .20                     | .20                             | .20                         | .20                             | .20                   |
| Center Pin Washer .....              |                                 |                                 |                         |                                 |                             |                                 | .10                   |
| Cylinder .....                       | 3.50                            | 4.50                            | 4.50                    | 4.50                            | 5.00                        | 5.50                            | 6.50                  |
| Cylinder Stop .....                  | 1.00                            | 1.20                            | .60                     | .60                             | .60                         | .60                             | .70                   |
| Cylinder Stop Plunger .....          |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .20                   |
| Cylinder Stop Screw .....            |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .10                   |
| Cylinder Stop Spring .....           | .60                             | .60                             | .10                     | .10                             | .10                         | .10                             | .10                   |
| Cylinder Stop Stud .....             |                                 |                                 | .30                     | .30                             | .30                         | .30                             | .40                   |
| Extractor .....                      | .60                             | .60                             | .60                     | .60                             | .75                         | 1.20                            | 1.20                  |
| Extractor Bushing .....              |                                 |                                 |                         |                                 |                             |                                 |                       |
| Extractor Cam .....                  | .40                             | .40                             |                         |                                 |                             |                                 |                       |
| Extractor Cam Catch .....            | .30                             | .30                             |                         |                                 |                             |                                 |                       |
| Extractor Cam Catch Spring .....     | .10                             | .10                             |                         |                                 |                             |                                 |                       |
| Extractor Collar .....               |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .10                   |
| Extractor Post .....                 | .60                             | .60                             |                         |                                 |                             |                                 |                       |
| Extractor Rod .....                  |                                 |                                 | .60                     | .60                             | .70                         | .60                             | .70                   |
| Extractor Rod Knob .....             |                                 |                                 | .30                     | .30                             | .30                         | .30                             | .40                   |
| Extractor Spring .....               | .20                             | .20                             | .20                     | .20                             | .20                         | .20                             | .30                   |
| Extractor Stud .....                 | .30                             | .30                             |                         |                                 |                             |                                 |                       |
| Firing Pin .....                     | .20                             | .20                             |                         |                                 |                             |                                 |                       |
| Firing Pin Bushing .....             | .30                             | .30                             |                         |                                 |                             |                                 |                       |
| Firing Pin Spring .....              | .20                             | .20                             |                         |                                 |                             |                                 |                       |
| Fly .....                            |                                 |                                 |                         |                                 |                             |                                 |                       |
| Fly Spring .....                     |                                 |                                 |                         |                                 |                             |                                 |                       |
| Frame .....                          | 8.00                            | 8.50                            | 9.50                    | 9.00                            | 9.00                        | 11.00                           | 14.30                 |
| Frame Lug .....                      |                                 |                                 | .40                     | .40                             | .40                         | .40                             | .40                   |
| Gas Ring .....                       | .60                             | .60                             | .60                     | .60                             | .60                         | .60                             | .60                   |
| Hammer .....                         | .80                             | .80                             | 2.00                    | 1.70                            | 1.70                        | 2.00                            | 2.50                  |
| Hammer Nose .....                    |                                 |                                 |                         | .30                             | .30                         | .30                             | .40                   |
| Hammer, Nose and Rivet .....         |                                 |                                 |                         | 2.00                            | 2.00                        | 2.30                            | 2.90                  |
| Hammer Stud .....                    | .30                             | .40                             | .30                     | .30                             | .30                         | .30                             | .40                   |
| Hammer Stud Nut .....                | .20                             | .20                             |                         |                                 |                             |                                 |                       |
| Hand .....                           | .60                             | .60                             | .60                     | .60                             | .60                         | .80                             | 1.20                  |
| Hand Lever .....                     |                                 |                                 | .30                     | .30                             | .30                         | .30                             | .40                   |
| Hand Lever Spring .....              |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .20                   |
| Hand Spring .....                    | .20                             | .20                             |                         |                                 |                             |                                 |                       |
| Joint Pivot .....                    | .20                             | .20                             |                         |                                 |                             |                                 |                       |
| Joint Pivot Screw .....              | .10                             | .10                             |                         |                                 |                             |                                 |                       |
| Locking Bolt .....                   |                                 |                                 | .60                     | .60                             | .60                         | .60                             | .70                   |
| Locking Bolt Knob .....              |                                 |                                 |                         |                                 |                             |                                 |                       |
| Locking Bolt Plunger .....           |                                 |                                 |                         |                                 |                             |                                 | .20                   |
| Locking Bolt Spring .....            |                                 |                                 | .20                     | .20                             | .20                         | .20                             | .20                   |
| Main Spring .....                    | .60                             | .60                             | .60                     | .60                             | .60                         | 1.30                            | 1.40                  |
| Rebound Slide .....                  |                                 |                                 | 1.20                    | 1.20                            | 1.20                        | 1.20                            | 1.40                  |
| Rebound Slide Spring .....           |                                 |                                 | .40                     | .40                             | .40                         | .60                             | 1.20                  |
| Rebound Slide Stud .....             |                                 |                                 | .30                     | .30                             | .30                         | .30                             | .40                   |
| Safety Latch .....                   | .30                             | .30                             |                         |                                 |                             |                                 |                       |
| Safety Latch Spring .....            | .60                             | .60                             |                         |                                 |                             |                                 |                       |
| Safety Lever .....                   | 1.20                            | 1.20                            |                         |                                 |                             |                                 |                       |
| Screws (all kinds) .....             | .10                             | .10                             | .10                     | .10                             | .10                         | .10                             | .10                   |
| Sear, Front .....                    | 1.00                            | 1.00                            | .60                     | .60                             | .60                         | .60                             | .70                   |
| Sear, Rear .....                     | .80                             | 1.20                            |                         |                                 |                             |                                 |                       |
| Sear Spring .....                    |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .10                   |
| Side Plate .....                     | .70                             | .70                             | .70                     | .70                             | .70                         | 1.20                            | 1.20                  |
| Sight, Front .....                   | .40                             | .40                             |                         | .40                             |                             |                                 |                       |
| Sight, Target, Front .....           |                                 |                                 | 1.40                    | 1.40                            |                             | 1.50                            | 1.40                  |
| Sight, Bead Target Front .....       |                                 |                                 | 1.40                    | 1.40                            |                             | 1.50                            | 1.40                  |
| Sight, Rear Slide .....              |                                 |                                 | .60                     | .60                             |                             | .60                             | .60                   |
| Sight, Rear Target, Complete .....   |                                 |                                 | 2.50                    | 2.50                            |                             | 2.50                            | 2.50                  |
| Split Spring .....                   | .60                             | .60                             |                         |                                 |                             |                                 |                       |
| Stirrup .....                        | .60                             | .60                             | .60                     | .60                             | .60                         | .60                             | .70                   |
| Stocks (right or left) .....         | .60                             | .60                             | .60                     | .60                             | .60                         | .70                             | .80                   |
| Stocks, Target (right or left) ..... |                                 |                                 | 1.20                    |                                 | 1.20                        | 1.20                            |                       |
| Stock Pin .....                      | .10                             | .10                             | .10                     | .10                             | .10                         | .10                             | .10                   |
| Thumb Piece .....                    |                                 |                                 | .60                     | .60                             | .60                         | .60                             | .60                   |
| Thumb Piece Nut .....                |                                 |                                 | .20                     | .20                             | .20                         | .20                             | .20                   |
| Trigger .....                        | 1.50                            | 1.50                            | 1.20                    | 1.20                            | 1.20                        | 1.70                            | 1.80                  |
| Trigger Guard .....                  | 1.30                            | 1.30                            |                         |                                 |                             |                                 |                       |
| Trigger Lever .....                  |                                 |                                 | .40                     | .40                             | .40                         | .60                             | .70                   |
| Trigger Pin .....                    | .10                             | .10                             |                         |                                 |                             |                                 |                       |
| Trigger Spring .....                 | .60                             | .60                             | .40                     | .40                             | .40                         | .60                             | 1.20                  |
| Trigger Stud .....                   |                                 |                                 | .30                     | .30                             | .30                         | .30                             | .40                   |
| Yoke .....                           |                                 |                                 | 2.50                    | 2.50                            | 2.50                        | 2.50                            | 3.00                  |
| Yoke Cam .....                       |                                 |                                 |                         |                                 |                             |                                 | 1.20                  |
| Yoke Stop .....                      |                                 |                                 | .20                     | .20                             | .20                         | .20                             | .20                   |
| Yoke Stop Spring .....               |                                 |                                 | .10                     | .10                             | .10                         | .10                             | .10                   |


Note 1.—32 Cal. Winchester parts same price as 38 Hand Ejectors.

\*Hand Ejector model Barrels not furnished separately. Can be supplied only when fitted at factory.

**SPECIAL NOTICE.** The smallest repair part order that we can profitably handle is 25 cents. This means if you want only one article and it is listed at a price lower than 25 cents, you will be obliged to remit 25 cents for it, this being the minimum mail order that we can handle for repair parts.

# PRICE LIST OF PARTS OF THE

## Harrington & Richardson Automatic, Police Automatic, Premier and Bicycle Revolvers




|    |                              |        |    |                                 |        |
|----|------------------------------|--------|----|---------------------------------|--------|
| 1  | Frame                        | \$2 50 | 19 | Sight                           | \$0 10 |
| 2  | Barrel, 3 1/4 inch           | 2 25   | 20 | Lifter                          | 25     |
|    | Barrel, 4 inch               | 2 60   | 21 | Lifter Pin                      | 05     |
|    | Barrel, 5 inch               | 2 95   | 22 | Lever                           | 15     |
|    | Barrel, 6 inch               | 3 30   | 23 | Lever Spring                    | 10     |
| 3  | Guard                        | 75     | 24 | Cylinder Catch                  | 20     |
| 4  | Cylinder, complete           | 2 00   | 25 | Trigger                         | 50     |
| 5  | Extractor                    | 75     | 26 | Trigger Spring                  | 10     |
| 6  | Cylinder Catch Bolt          | 15     | 27 | Trigger Pin                     | 05     |
| 7  | Cylinder Catch Bolt Spring   | 05     | 28 | Sear                            | 15     |
| 8  | Cylinder Catch Bolt Screw    | 05     | 29 | Sear Spring                     | 05     |
| 9  | Barrel Catch                 | 40     | 30 | Guard Pin                       | 05     |
| 10 | Barrel Catch Spring          | 10     | 31 | Friction Spring                 | 05     |
| 11 | Barrel Catch Spring Screw    | 10     | 32 | Hinge Screw                     | 10     |
|    | Barrel Catch Spring Follower | 05     | 33 | Main Spring                     | 15     |
| 12 | Barrel Catch Screw           | 10     | 34 | Stock, right                    | 20     |
| 13 | Quill                        | 25     | 35 | Stock, left                     | 20     |
| 14 | Quill Pin                    | 05     | 36 | Escutcheon Thread               | 10     |
| 15 | Extractor Extension          | 10     | 37 | Escutcheon Head                 | 10     |
| 16 | Extractor Spring             | 10     | 38 | Stock Screw                     | 10     |
| 17 | Hammer                       | 60     | 39 | Stock Pin                       | 05     |
| 18 | Hammer Screw                 | 10     | 40 | Hook                            | 30     |
|    |                              |        | 41 | Hook Spring                     | 10     |
|    |                              |        |    | Target Grip Stocks, hard rubber | 1 00   |

The prices of similar parts of the H. & R. Hammerless and Bicycle Hammerless are the same as given above, but they have the following parts in addition:  
 Firing Pin \$0 15  
 Firing Pin Spring 05  
 Firing Pin Nut 15


### AMERICAN, SAFETY HAMMER, YOUNG AMERICA, YOUNG AMERICA SAFETY HAMMER, VEST POCKET SAFETY HAMMER, H. & R. BULL DOG, AND YOUNG AMERICA BULL DOG DOUBLE ACTION REVOLVERS

|       |                         |        |    |                     |        |
|-------|-------------------------|--------|----|---------------------|--------|
| 1     | Barrel, 2 1/2 inch      | \$1 00 | 17 | Friction Pin        | \$0 05 |
|       | Barrel, 4 1/2 inch      | 1 35   | 18 | Friction Pin Spring | 05     |
|       | Barrel, 6 inch          | 1 70   | 19 | Guard               | 50     |
| 2     | Cylinder                | 1 00   | 20 | Guard Pin           | 05     |
| 3     | Center Pin              | 15     | 21 | Stock, right        | 20     |
| 4     | Center Pin Catch        | 10     | 22 | Stock, left         | 20     |
| 5     | Center Pin Catch Spring | 05     | 23 | Stock Screw         | 10     |
| 6     | Center Pin Catch Pin    | 05     | 24 | Stock Pin           | 05     |
| 7     | Hammer                  | 50     | 25 | Escutcheon Head     | 10     |
| 7 1/2 | Safety Hammer           | 50     | 26 | Escutcheon Thread   | 10     |
| 8     | Hammer Screw            | 10     | 27 | Sear                | 15     |
| 9     | Lifter                  | 20     | 28 | Sear Spring         | 05     |
| 10    | Lifter Pin              | 05     | 29 | Sear Pin            | 05     |
| 11    | Lever                   | 15     | 30 | Sight               | 10     |
| 12    | Lever Spring            | 10     | 31 | Gate                | 25     |
| 13    | Trigger                 | 50     | 32 | Gate Spring         | 10     |
| 14    | Trigger Spring          | 10     | 33 | Gate Spring Screw   | 10     |
| 15    | Trigger Pin             | 05     | 34 | Gate Screw          | 10     |
| 16    | Main Spring             | 10     |    |                     |        |

The numbers and prices of similar parts of H. & R. Double Action, Model 1904, Model 1905, and Model 1906, are the same as given above. Be sure to mention NAME stamped on revolver.




### Repair Parts For HARRINGTON & RICHARDSON Single Barrel Gun



|    |                       |        |    |                           |        |
|----|-----------------------|--------|----|---------------------------|--------|
| 1  | Guard                 | \$0 60 | 23 | Trigger Spring Screw      | \$0 10 |
| 2  | Top Lever             | 40     | 24 | Trigger Pin               | C5     |
| 3  | Locking Bolt Rocker   | 30     | 25 | Hammer Pin                | 10     |
| 4  | Top Lever Screw       | 10     | 26 | Main Spring               | 25     |
| 5  | Ejector               | 30     | 27 | Main Spring Guide         | 25     |
| 6  | Ejector Spring        | 15     | 28 | Locking Bolt              | 40     |
| 7  | Ejector Latch         | 20     | 29 | Locking Bolt Spring       | 15     |
| 8  | Ejector Latch Pin     | 10     | 30 | Locking Bolt Spring Guide | 10     |
| 9  | Ejector Latch Spring  | 10     | 31 | Butt Plate Screw          | 05     |
| 10 | Ejector Stop Pin      | 10     | 32 | Joint Pin, complete       | 65     |
| 11 | Joint Screw, complete | 65     | 34 | Sight                     | 10     |
| 18 | Firing Pin            | 20     |    | Fore-end Stock, complete  | 1 50   |
| 19 | Firing Pin Screw      | 10     |    | Butt Stock, complete      | 3 00   |
| 20 | Hammer                | 60     |    | Butt Plate                | 60     |
| 21 | Trigger               | 50     |    |                           |        |
| 22 | Trigger Spring        | 10     |    |                           |        |

## HARRINGTON & RICHARDSON

### PARTS FOR 22 AND 32 CAL. H. & R. "PREMIER" REVOLVERS




|    |                           |             |    |                                 |          |
|----|---------------------------|-------------|----|---------------------------------|----------|
| 1  | Frame                     | .....\$2 50 | 22 | Lever                           | .....\$0 |
| 2  | Barrel, 2 or 3 inch       | ..... 2 25  | 23 | Lever Spring                    | .....    |
|    | Barrel, 4 inch            | ..... 2 60  | 25 | Trigger                         | .....    |
|    | Barrel, 5 inch            | ..... 2 95  | 26 | Trigger Spring                  | .....    |
|    | Barrel, 6 inch            | ..... 3 30  | 27 | Trigger Pin                     | .....    |
| 3  | Guard                     | ..... 75    | 28 | Sear                            | .....    |
| 4  | Cylinder, complete        | ..... 2 00  | 29 | Sear Spring                     | .....    |
| 5  | Extractor                 | ..... 75    | 30 | Guard Pin                       | .....    |
| 9  | Barrel Catch              | ..... 40    | 31 | Friction Spring                 | .....    |
| 10 | Barrel Catch Spring       | ..... 10    | 32 | Hinge Screw                     | .....    |
| 11 | Barrel Catch Spring Screw | ..... 10    | 33 | Main Spring                     | .....    |
|    | Barrel Catch Spring       |             | 34 | Stock, right                    | .....    |
|    | Follower                  | ..... 05    | 35 | Stock, left                     | .....    |
| 12 | Barrel Catch Screw        | ..... 10    | 36 | Escutcheon Thread               | .....    |
| 13 | Quill                     | ..... 25    | 37 | Escutcheon Head                 | .....    |
| 14 | Quill Pin                 | ..... 05    | 38 | Stock Screw                     | .....    |
| 15 | Extractor Extension       | ..... 10    | 39 | Stock Pin                       | .....    |
| 16 | Extractor Spring          | ..... 10    | 40 | Hook                            | .....    |
| 17 | Hammer                    | ..... 60    | 41 | Hook Spring                     | .....    |
| 18 | Hammer Screw              | ..... 10    | 44 | Cylinder Stop—Frame Part        | .....    |
| 19 | Sight                     | ..... 10    | 45 | Frame Part Screw                | .....    |
| 20 | Lifter                    | ..... 25    |    | Target Grip Stocks, hard rubber | ..... 1  |
| 21 | Lifter Pin                | ..... 05    |    |                                 |          |

## IVER JOHNSON AND UNITED STATES REVOLVERS

### PARTS FOR 22, 32 AND 38 CAL. OLD MODEL

Iver Johnson Safety Hammer and Safety Hammerless Automatic Revolvers—Also United States Revolvers.



| Name                                     | No.  | Cost   | Name                                       | No.   | Cost |
|------------------------------------------|------|--------|--------------------------------------------|-------|------|
| Frame                                    | B501 | \$2 30 | Barrel Catch                               | A541  | \$0  |
| Firing Pin                               | A202 | 10     | Barrel Catch Plunger                       | A142  |      |
| Firing Pin Nut                           | A203 | 10     | Barrel Catch Spring                        | A543  |      |
| Firing Pin Stop Pin                      | A204 | 05     | Barrel Catch Screw                         | A544  |      |
| Firing Pin Spring                        | A205 | 05     | Joint Screw                                | A548  |      |
| Stock Pin                                | A106 | 05     | Guard                                      | B549  |      |
| Stocks—                                  |      |        | Guard Screw                                | A150  |      |
| Rubber—Left                              | A507 | 45     | Guard Pin, Rear                            | A552  |      |
| Rubber—Right                             | A508 | 45     | Cylinder                                   | A553  | 1    |
| *Perfect—Left                            | A509 | 1 00   | Cylinder—Complete                          | A553A | 1    |
| *Perfect—Right                           | A510 | 1 00   | Extractor                                  | A554  |      |
| Pearl—Left                               | A513 | 3 00   | Extractor Stem                             | A555  |      |
| Pearl—Right                              | A514 | 3 00   | Extractor Spring                           | A556  |      |
| Head Escutcheon for Rubber and Perfect   |      |        | Extractor Cam                              | A557  |      |
| Stocks                                   | A119 | 10     | Extractor Cam Center (Order Extractor Cam) |       |      |
| Pearl Stocks                             | A120 | 10     | Extractor Cam Spring                       | A159  |      |
| Thread Escutcheon for Rubber and Perfect |      |        | Quill                                      | A560  |      |
| Stocks                                   | A121 | 10     | Cylinder Friction                          |       |      |
| Pearl Stocks                             | A122 | 10     | Spring                                     | A563  |      |
| Stock Screw for—                         |      |        | Hammer                                     | B567  |      |
| Rubber Stocks                            | A523 | 10     | Hammer Screw                               | B569  |      |
| Perfect Stocks—                          |      |        | Main Spring                                | A570  |      |
| Upper                                    | E523 | 10     | Lever and Pin                              | A574  |      |
| Perfect Stocks—                          |      |        | Lever Spring                               | A575  |      |
| Lower                                    | A524 | 10     | Lifter                                     | B576  |      |
| Pearl Stocks                             | A525 | 10     | Lifter Pin                                 | A177  |      |
| Barrels—                                 |      |        | Sear                                       |       |      |
| 2 inch                                   |      | 2 50   | Sear Spring                                |       |      |
| 3 inch                                   |      | 2 70   | Trigger                                    | B580  |      |
| 3 1/4 inch                               | A533 | 2 75   | Trigger Spring                             | A581  |      |
| 4 inch                                   | A535 | 2 90   | Trigger Pin                                | A552  |      |
| 5 inch                                   | A537 | 3 10   | Safety Catch                               | B583  |      |
| 6 inch                                   | A538 | 3 30   | Safety Catch Pin                           | B284  |      |
| Sight                                    | A540 | 10     | Safety Catch Spring                        | B285  |      |
|                                          |      |        | Frame Cap                                  | B586  |      |
|                                          |      |        | Frame Cap Pin                              | B587  |      |


When ordering parts that are supplied in both nickel and blue finish, always state which finish is desired.

ADD FOUR CENTS EXTRA FOR POSTAGE.

The Bourne & Bond Gun Catalog Illustrates the Latest Models, Guns, Pistols, etc.  
It will be Mailed to You—Free—upon Request. Just Ask for A "B. & B. Gun Catalog."



# PARTS FOR NEW MODEL IVER JOHNSON SAFETY HAMMER AUTOMATIC REVOLVER



Specify whether parts are wanted for  
22, 32 or 38 Calibre Revolver.

| Name                              | No.   | Cost   |
|-----------------------------------|-------|--------|
| Frame                             | C301  | \$3 50 |
| Firing Pin                        | A202  | 10     |
| Firing Pin Nut                    | A203  | 10     |
| Firing Pin Stop Pin               | A205  | 05     |
| Firing Pin Spring                 | A205  | 05     |
| Stock Pin                         | C106  | 05     |
| Stocks—                           |       |        |
| Rubber—Left                       | C307  | 45     |
| Rubber—Right                      | C308  | 45     |
| *Perfect—Left                     | C309  | 1 00   |
| *Perfect—Right                    | C310  | 1 00   |
| Pearl—Left                        | C313  | 3 00   |
| Pearl—Right                       | C314  | 3 00   |
| Western Walnut                    | C315  | 2 50   |
| Western Walnut Checkered          | C316  | 3 25   |
| Head Escutcheon for               |       |        |
| Rubber and Perfect Stocks         | A119  | 10     |
| Pearl Stocks                      | A120  | 10     |
| Thread Escutcheon for             |       |        |
| Rubber and Perfect Stocks         | A121  | 10     |
| Pearl Stocks                      | A122  | 10     |
| Stock Screw for                   |       |        |
| Rubber Stocks                     | A523  | 10     |
| Perfect Stocks—Upper              | E523  | 10     |
| Perfect Stocks—Lower              | A524  | 10     |
| Pearl Stocks                      | A525  | 10     |
| Walnut Stock End Screw            | C126  | 10     |
| Walnut Stock End Screw Escutcheon | C127  | 10     |
| Barrels—                          |       |        |
| 2-inch                            | C530  | 2 50   |
| 3 inch                            |       | 2 70   |
| 3 3/4 inch                        | C533  | 2 75   |
| 4 inch                            | C535  | 2 90   |
| 5 inch                            | C537  | 3 20   |
| 6 inch                            | C538  | 3 50   |
| Sight                             | C340  | 10     |
| Barrel Catch                      | C341  | 40     |
| Barrel Catch Plunger              | A142  | 10     |
| Barrel Catch Spring               | A543  | 05     |
| Barrel Catch Screw                | A544  | 10     |
| Joint Screw                       | A548  | 10     |
| Guard                             | C349  | 45     |
| Guard Pin, Front                  | C851  | 05     |
| Guard Pin, Rear                   | A552  | 05     |
| Cylinder                          | C553  | 1 40   |
| Cylinder—Complete                 | C553A | 1 75   |
| Extractor                         | A554  | 20     |
| Extractor Stem                    | A555  | 10     |
| Extractor Spring                  | A556  | 05     |
| Extractor Cam                     | C857  | 15     |
| Extractor Cam Center              | C158  | 15     |
| Extractor Cam Center Spring       | C159  | 05     |
| Quill                             | C860  | 30     |
| Cylinder Stop                     | C164  | 15     |
| Cylinder Stop Pin                 | B587  | 05     |
| Cylinder Stop Spring              | C166  | 05     |
| Hammer —                          |       |        |
| Regular                           | C367  | 40     |
| Semi-Hammerless                   | C368  | 45     |
| Hammer Screw                      | A569  | 10     |
| Main Spring                       | C370  | 10     |
| Main Spring Tension Adjusting Bar | C171  | 10     |
| Main Spring Ball Plunger          | C172  | 15     |
| Main Spring Ball Plunger Pin      | C173  | 05     |
| Lever and Pin                     | A574  | 15     |
| Lever Spring                      | A575  | 05     |
| Lifter                            | C376  | 30     |
| Sear                              | C378  | 20     |
| Sear Spring                       | C179  | 05     |
| Trigger                           | C380  | 45     |
| Trigger Spring                    | C181  | 05     |
| Trigger Pin                       | A552  | 05     |

\*Perfect Stocks are of genuine hard rubber and are larger than Rubber Stocks.

Specify whether parts are wanted for a nicked or blued revolver.

The New Postal Laws prohibit the mailing of firearms, but this does not apply to parts for firearms. In sending money for parts always include enough to cover postage on same. If you send us the entire firearm for replacement of parts it must be sent Express, Prepaid and returned to you by Express, Collect.

COMPONENT PARTS OF IVER JOHNSON CHAMPION SINGLE BARREL SHOTGUN

(Specify whether for 12, 16 or 20 Gauge Gun.)





DIAGRAM OF SINGLE BARREL EJECTOR SHOTGUN

| Name                           | No.   | Cost   | Name | No. | Cost |
|--------------------------------|-------|--------|------|-----|------|
| <b>FRAME GROUP</b>             |       |        |      |     |      |
| *Frame                         | P601  | \$4 50 |      |     |      |
| Firing Pin                     | P102  | 10     |      |     |      |
| Firing Pin Spring              | P1021 | 05     |      |     |      |
| Firing Pin Stop Screw          | P2022 | 10     |      |     |      |
| Top Snap Lever                 | P104  | 20     |      |     |      |
| Top Snap Lever Yoke            | P1041 | 10     |      |     |      |
| Top Snap Lever Yoke Screw      | P1042 | 10     |      |     |      |
| Compensating Locking Bolt      | P105  | 25     |      |     |      |
| Locking Bolt Pin               | P1051 | 05     |      |     |      |
| Locking Bolt Spring            | P1052 | 05     |      |     |      |
| Locking Bolt Spring Screw      | P1053 | 10     |      |     |      |
| Locking Bolt Connecting Rod    | P1054 | 10     |      |     |      |
| Hammer                         | P1091 | 30     |      |     |      |
| Hammer Pin                     | P1095 | 05     |      |     |      |
| Main Spring                    | P112  | 15     |      |     |      |
| Main Spring                    | P1121 | 10     |      |     |      |
| Tension Adjusting Bar          | P1121 | 10     |      |     |      |
| Main Spring Plunger            | P1122 | 20     |      |     |      |
| Main Spring Plunger Pin        | P1123 | 05     |      |     |      |
| Trigger                        | P1131 | 25     |      |     |      |
| Trigger Pin                    | P1135 | 05     |      |     |      |
| Trigger Spring                 | P1136 | 05     |      |     |      |
| Trigger Spring Screw           | P1137 | 10     |      |     |      |
| Guard                          | P115  | 35     |      |     |      |
| Guard Screw                    | P1151 | 10     |      |     |      |
| <b>BARREL GROUP</b>            |       |        |      |     |      |
| Barrel, Non-Ejector (Complete) |       |        |      |     |      |
| 26 inch                        | P826N | 5 00   |      |     |      |
| 28 inch                        | P828N | 5 00   |      |     |      |
| 30 inch                        | P830N | 5 00   |      |     |      |
| 32 inch                        | P832N | 5 00   |      |     |      |
| 34 inch                        |       | 5 50   |      |     |      |
| 36 inch                        |       | 6 00   |      |     |      |
| Barrel, Ejector (Complete)     |       |        |      |     |      |
| 26 inch                        | P826E | 5 50   |      |     |      |
| 28 inch                        | P828E | 5 50   |      |     |      |
| 30 inch                        | P830E | 5 50   |      |     |      |
| 32 inch                        | P832E | 5 50   |      |     |      |
| 34 inch                        |       | 6 00   |      |     |      |
| 36 inch                        |       | 6 50   |      |     |      |
| <b>BARREL GROUP</b>            |       |        |      |     |      |
| Barrel only                    |       |        |      |     |      |
| 26 inch                        | P826  | \$4    |      |     |      |
| 28 inch                        | P828  | 4      |      |     |      |
| 30 inch                        | P830  | 4      |      |     |      |
| 32 inch                        | P832  | 4      |      |     |      |
| 34 inch                        |       | 5      |      |     |      |
| 36 inch                        |       | 5      |      |     |      |
| Sight, Front                   | P140  |        |      |     |      |
| Non-Ejector Extractor          | P7411 |        |      |     |      |
| Ejector Extractor              | P7412 |        |      |     |      |
| Ejector Spring                 | P143  |        |      |     |      |
| Ejector Stop Pin               | P144  |        |      |     |      |
| Ejector Lever and Stud         | P545  |        |      |     |      |
| Ejector Lever Pin              | P1451 |        |      |     |      |
| Ejector Lever Spring           | P1452 |        |      |     |      |
| Ejector Push Pin               |       |        |      |     |      |
| Barrel Stop Stud               | P147  |        |      |     |      |
| Combination Bolt               | P148  |        |      |     |      |
| <b>FOREND GROUP</b>            |       |        |      |     |      |
| Forend (Complete)              | P651A | 2      |      |     |      |
| Forend, Wood                   | P651  | 1      |      |     |      |
| Forend, Iron                   | P1522 |        |      |     |      |
| Forend Iron Screw (2)          | P1533 |        |      |     |      |
| Forend Snap Plate              | P155  |        |      |     |      |
| Forend Snap Plate Screw        | P1551 |        |      |     |      |
| Forend Plunger                 | P156  |        |      |     |      |
| Forend Plunger Pin             | P1561 |        |      |     |      |
| Forend Plunger Spring          | P1562 |        |      |     |      |
| <b>BACK STOCK GROUP</b>        |       |        |      |     |      |
| **Back Stock (Complete)        | P681A | 4      |      |     |      |
| **Back Stock, Wood             | P681  | 3      |      |     |      |
| Back Stock Screw               | P185  |        |      |     |      |
| Back Stock Screw Washer        | P1851 |        |      |     |      |
| Butt Plate                     | P686  |        |      |     |      |
| Butt Plate Screw (2)           | P1861 |        |      |     |      |

Asterisk (\*) preceding a part name indicates that complete gun must be returned to us to have that part fitted.

Double asterisk (\*\*) indicates that Back Stock only must be returned to us for correct duplication.

PARTS FOR STEVENS "LITTLE SCOUT" RIFLE NO. 14 1/2




|                               |        |                           |     |
|-------------------------------|--------|---------------------------|-----|
| 1 Barrel with Sights          | \$2 82 | 19 Guard Screw (front)    | \$0 |
| 2 Barrel Screw                | 20     | 20 Guard Screw (rear)     |     |
| 3 Butt Plate                  | 44     | 21 Hammer                 |     |
| 4 Butt Plate Screw            | 15     | 22 Hammer Screw           |     |
| 5 Breech Block                | 75     | 23 Mainspring             |     |
| 6 Breech Block Screw          | 15     | 24 Mainspring Sleeve      |     |
| 7 Breech Block Lever          | 25     | 25 Mainspring Sleeve Pin  |     |
| 8 Breech Block Plunger        | 15     | 26 Mainspring Plunger     |     |
| 9 Breech Block Plunger Spring | 15     | 27 Mainspring Plunger Pin |     |
| 10 Escutcheon                 | 15     | 28 Stock with Butt Plate  | 2   |
| 11 Extractor                  | 38     | 29 Stock Bolt             |     |
| 11a Extractor (new style)     | 38     | 30 Stock Bolt Nut         |     |
| 12 Extractor Screw            | 15     | 32 Take Down Screw        |     |
| 13 Extractor Pin              | 15     | 33 Trigger                |     |
| 14 Frame                      | 1 88   | 34 Trigger Plunger        |     |
| 15 Fore-end                   | 50     | 35 Trigger Plunger Spring |     |
| 16 Fore-end Screw             | 15     | 36 Trigger Screw          |     |
| 17 Firing Pin                 | 25     | 37 Front Sight            |     |
| 18 Guard                      | 38     | 38 Rear Sight             |     |

BARGAIN PRICES ON SECOND-HAND GUNS, RIFLES AND REVOLVERS

These firearms were traded in to us on new guns and we offer them at unusually attractive prices. They have been reconditioned in our shop and are in first-class shape. Send for list describing and pricing these bargain guns.

SEND OLD PART AS SAMPLE

## PARTS FOR STEVENS' "FAVORITE" RIFLE NO. 17 AND 27




| Each                     |        | Each                               |        |
|--------------------------|--------|------------------------------------|--------|
| Barrel with Sights:      |        | 18 Lever Bushing                   | \$0 15 |
| For No. 17               | \$6 94 | 19 Lever Screw                     | 15     |
| For No. 20               | 5 63   | 20 Link                            | 32     |
| For No. 27               | 7 50   | 21 Link Pin                        | 15     |
| Barrel without Sights:   |        | 22 Mainspring                      | 32     |
| For Nos. 17 and 20       | 5 63   | 23 Mainspring Plunger (complete)   | 38     |
| For No. 27               | 6 25   | 24 Mainspring Plunger seat         | 20     |
| 1 Breech Block           | 1 125  | 25 Mainspring Plunger Screw        | 15     |
| 2 Breech Block Screw     | 15     | 26 Mainspring Plunger Pin          | 15     |
| 3 Butt Plate, Rubber     | 63     | Stock with Butt Plate              | 4 07   |
| 4 Butt Plate Screw       | 15     | 27 Take-down Screw                 | 50     |
| 5 Dummy Screw            | 15     | 28 Trigger                         | 75     |
| 6 Ejector                | 94     | 29 Trigger Screw                   | 15     |
| 7 Ejector Spring         | 15     | 30 Trigger Spring                  | 20     |
| 8 Ejector Spring Plunger | 20     | 31 Trigger Spring Screw            | 15     |
| 9 Extractor              | 94     | 32 Front Sight, Rocky Mountain     | 94     |
| 10 Firing                | 32     | 33 Rear Sight, Sporting (complete) | 94     |
| 11 Firing Pin Pin        | 15     | 34 Rear Sight Step only            | 25     |
| 12 Fore-end (complete)   | 1 13   |                                    |        |
| 13 Fore-end Screw        | 15     |                                    |        |
| 14 Frame                 | 4 07   |                                    |        |
| 15 Hammer                | 94     |                                    |        |
| 16 Hammer Screw          | 15     |                                    |        |
| 17 Lever                 | 1 38   |                                    |        |

When ordering parts give the caliber and model of the rifle for which part is required.

The minimum charge for any component part, including postage, is 10 cents.


## PARTS OF STEVENS' "CRACK SHOT" RIFLE NO. 26

|                               |        |                              |        |
|-------------------------------|--------|------------------------------|--------|
| 1 Barrel with Sights          | \$3 13 | 17 Hammer Screw              | \$0 15 |
| 2 Barrel Screw                | 20     | 18 Lever                     | 94     |
| 3 Butt Plate                  | 44     | 19 Lever Pin                 | 15     |
| 4 Butt Plate Screw            | 15     | 20 Lever Pin Roll            | 15     |
| 5 Breech Block, 22            | 1 00   | 21 Lever Pin Roll Screw      | 15     |
| 6 Breech Block, 32            | 1 00   | 22 Mainspring                | 20     |
| 7 Breech Block Screw          | 15     | 23 Mainspring Plunger        | 15     |
| 8 Breech Block Plunger        | 15     | 24 Mainspring Plunger Sleeve | 15     |
| 9 Breech Block Plunger Spring | 15     | 25 Stock with Butt Plate     | 2 82   |
| 10 Extractor, 22              | 38     | 26 Stock Bolt                | 20     |
| 10a Extractor, 32             | 38     | 27 Stock Bolt Nut            | 15     |
| 11 Frame                      | 2 19   | 28 Take-Down Screw           | 38     |
| 12 Fore-end                   | 63     | 29 Trigger                   | 50     |
| 13 Fore-end Screw             | 15     | 29a Trigger Spring           | 20     |
| 14 Firing Pin                 | 25     | 30 Trigger Screw             | 15     |
| 15 Firing Pin Pin             | 15     | 31 Sight, Front              | 20     |
| 16 Hammer                     | 63     | 32 Sight, Rear               | 32     |



When ordering parts give caliber and number of rifle for which part is required. The minimum charge for any component part, including postage, is 10 cents.

## COMPONENT PARTS, STEVENS' No. 70 "VISIBLE LOADING" REPEATING RIFLE




|                              |        |                             |           |
|------------------------------|--------|-----------------------------|-----------|
| 1 Action Pin                 | \$0 20 | 24 Magazine Tube inside     | \$1 00    |
| 2 Action Pin Screw           | 10     | 25 Magazine Fol- lower      |           |
| 2A Barrel without Sights     | 5 25   | 26 Magazine Spring          | \$1.40 25 |
| 2B Barrel with Sights        | 6 25   | 27 Magazine Plug            |           |
| 3 Breech Block               | 2 00   | 28 Magazine Plug Pin        | 10        |
| 4 Butt Plate                 | 50     | 29 Mainspring               |           |
| 5 Butt Plate Screw           | 10     | Mainspring Plunger Bracket  | 50        |
| 6 Extractor (right)          | 35     | 30 Mainspring Plunger Wire  |           |
| 7 Extractor (left)           | 35     | Mainspring Plunger Stud     | 10        |
| 8 Extractor Screw            | 10     | 31 Mainspring Screw         |           |
| 9 Extractor Spring           | 10     | 31A Stock with Butt Plate   | 3 75      |
| 9A Extractor Spring Pin      | 10     | 32 Slide Handle, Wood only  |           |
| 10 Firing Pin                | 50     | 33 Slide Handle Bar         | 2 00      |
| 11 Frame                     | 4 50   | 34 Slide Handle Screw       |           |
| 12 Hammer                    | 85     | 35 Tang Screw               | 10        |
| 13 Hammer Screw Nut          | 20     | 36 Trigger                  |           |
| 14 Hammer Lock               | 60     | 37 Trigger                  | 60        |
| 14A Hammer Lock Spring       | 10     | 38 Trigger Spring Screw     |           |
| 14B Hammer Lock Spring N. S. | 10     | 39 Trigger Pin              | 10        |
| 15 Hammer Lock Screw         | 10     | 40 Sporting Rear Sight      |           |
| 16 Hammer Lock Dummy Screw   | 10     | 41 Sporting Rear Sight Step | 20        |
| 17 Lifter                    | 35     | 42 Front Sight              |           |
| 18 Lifter Pin                | 10     | 43 Mainspring Plunger Seat  | 20        |
| 19 Locking Cam Sleeve        | 60     | 44 Dummy Screw              |           |
| 21 Magazine Mount (front)    | 40     | 45 Slide Handle Es-cutcheon | 10        |
| 22 Magazine Mount (rear)     | 40     |                             |           |
| 23 Magazine Tube (out-side)  | 1 00   |                             |           |

### L. C. SMITH HAMMERLESS PARTS

All prices net. Add postage. When ordering give serial number of gun.

| PART                        | PRICE    | PART                             | PRICE  |
|-----------------------------|----------|----------------------------------|--------|
| 1 Bolt                      | \$2 10   | 22 Safety-spring, New Style      | \$0 30 |
| 2 Bolt-spring               | 85       | 23 Safety-stud, Old Style        | 50     |
| 3 Bridle                    | 35       | 24 Safety-stud, New Style        | 50     |
| 4 Bushing                   | 35       | 25 Safety-slide                  | 50     |
| 5 Butt-plate                | 1 25     | 26 Trigger-spring                | 25     |
| 6 Cocking-rod               | 1 50     | 27 Sear                          | 1 25   |
| 7 Coupler                   | 1 40     | 28 Safety Push-rod               | 25     |
| 8 Cylinder Joint Check      | 2 10     | 29 Trigger-plate                 | 2 50   |
| 9 Escutechon                | 50       | 30 Trigger, Old Style            | 1 00   |
| 10 Extractor, Old Style     | 1 50     | 31 Trigger, New Style            | 75     |
| 11 Extractor, New Style     | 1 50     | 32 Trip                          | 25     |
| 12 Firing-pin               | 35       | 33 Hammer, Right Hand            | 1 25   |
| 13 Fore-end, Latest Model   | .6 00 up | 34 Hammer, Left Hand             | 1 25   |
| 14 Fore-end, Old Style      | .6 00 up | Any screw in gun                 | 20     |
| 15 Fore-end Spring          | 75       | Smith Gun Parts Not Illustrated  |        |
| 16 Guard                    | 1 80     | Cocking Plate and Screw          | 35     |
| 17 Lever                    | 1 75     | Flat Fore-end Spring             | 20     |
| 18 Lifter                   | 75       | Extractor Cam                    | 50     |
| 19 Mainspring               | 1 00     | Selective Button for One Trigger | 75     |
| 20 Safety-button, Old Style | 90       |                                  |        |
| 21 Safety-button, New Style | 90       |                                  |        |



Smith Gun Parts Not Illustrated  
 Cocking Plate and Screw .... 35  
 Flat Fore-end Spring ..... 20  
 Extractor Cam ..... 50  
 Selective Button for One Trigger ..... 75

All prices are for plain parts only


Be sure to order parts by number and if possible send broken piece. State whether for right or left hand. The above prices are for parts only and do not include the cost of fitting.

All shipments to us should be plainly marked with your name and address. Always give the serial number of your gun.

### SMITH HAMMER GUN PARTS

All prices net. Add postage. When ordering give serial number of gun.

| PART                    | PRICE  | PART                      | PRICE  |
|-------------------------|--------|---------------------------|--------|
| 1 Bolt                  | \$2 50 | 17 Hammer, Old Style      | \$1 25 |
| 2 Bolt-spring           | 1 00   | 18 Lever                  | 1 75   |
| 3 Bridle, Old Style     | 50     | 19 Mainspring, New Style  | 1 00   |
| 4 Bridle, New Style     | 50     | 20 Mainspring, Old Style  | 1 50   |
| 4 Latest Model Bridle   | 50     | 21 Sear, Old Style        | 1 25   |
| 5 Butt-plate            | 1 00   | 22 Sear, New Style        | 1 25   |
| 6 Coupler               | 1 40   | 23 Sear-spring, Old Style | 1 00   |
| 7 Cylinder Joint Check  | 2 10   | 24 Stirrup                | 75     |
| 8 Extractor, Old Style  | 1 50   | 25 Trigger, New Style     | 1 00   |
| 9 Extractor, New Style  | 1 50   | 26 Trigger, Old Style     | 1 00   |
| 10 Firing-pin           | 25     | 27 Trigger-plate          | 2 50   |
| 11 Fore-end Spring      | 60     | 28 Trigger-spring         | 25     |
| 12 Fore-end, Old Style  | 5 00   | 29 Trip                   | 35     |
| 14 Guard                | 1 80   | 30 Tumbler, Old Style     | 1 25   |
| 15 Hammer, Latest Model | 1 25   | 31 Tumbler, New Style     | 1 25   |
| 16 Hammer, Model 1898   | 1 25   | Any Screw in Gun          | 20     |




Be sure to order parts by number and if possible send broken piece. Always say whether for right or left hand. The above prices are for parts only and do not include the cost of fitting.

All shipments to us should be plainly marked with your name and address. Always give the serial number of your gun.

### REMINGTON REPEATING SHOTGUN


#### COMPONENT PARTS

| PART                                                                      | PRICE  | PART                                                       | PRICE  | PART                         | PRICE  | PART                        | PRICE  |
|---------------------------------------------------------------------------|--------|------------------------------------------------------------|--------|------------------------------|--------|-----------------------------|--------|
| U 1 Action Bar, complete                                                  |        | U 30 Extractor Spring                                      | \$0 25 | U 66 Trigger Spring          | \$0 15 | U 72 Magazines Lever Detent |        |
| U 35 } bushing and rivets                                                 |        | U 31 Firing Pin                                            | 50     | U 68 Tang Screw Check        |        | Retaining Pin               | \$0 15 |
| U 36 } Grade 10A, B and C                                                 | \$3 75 | U 32 Firing Pin Bushing                                    | 15     | Screw                        | 15     | U 73 Magazine Lug Rivet     | 15     |
| U 2 Action Bar Lock                                                       | 75     | U 33 Firing Pin Bushing Pin                                | 15     | U 69 Action Bar Lock Shoe    | 50     | U 74 Guard Screw            | 15     |
| U 2 1/2 Action Bar Lock, complete                                         | 1 50   | U 34A Fore-end, Grade 10A                                  | 1 25   | U 71 Breech Block Detent Pin | 15     | U 75 Front Sight            | 15     |
| U 3 Action Bar Lock Button compete                                        | 50     | U 34B Fore-end, Grade 10B                                  | 8 00   |                              |        | U 76 Fore-end Rivet         | 15     |
| U 5 Action Bar Lock Pin                                                   | 15     | U 37 Fore-end Nut                                          | 50     |                              |        |                             |        |
| U 6 Action Bar Lock Spring                                                | 15     | U 38A Guard, Grade 10A, B and C                            | 5 00   |                              |        |                             |        |
| U 7 Action Bar Stud                                                       | 15     | U 39 Main Spring                                           | 15     |                              |        |                             |        |
| U 8 Action Bar Rivet                                                      | 15     | U 40 Magazine Lever                                        | 1 00   |                              |        |                             |        |
| U 10 Barrel Adjusting Bushing                                             | 1 00   | U 41 Magazine Lever Pin                                    | 15     |                              |        |                             |        |
| U 11 Barrel Adjusting Screw                                               | 15     | U 42 Magazine Lever Pin                                    | 15     |                              |        |                             |        |
| U 12A Barrel Yoke, Grade 10A, B and C                                     | 2 50   | U 43 Barrel Lug                                            | 2 50   |                              |        |                             |        |
| U 13 Barrel Yoke Stop Screw                                               | 15     | U 44 Magazine Lever Detent                                 | 25     |                              |        |                             |        |
| U 14 Breech Block                                                         | 7 50   | U 45 Barrel Lug Screw                                      | 15     |                              |        |                             |        |
| U 14 1/2 Breech Block, assembled, complete                                | 15 00  | U 46 Magazine Plug Screw                                   | 15     |                              |        |                             |        |
| U 15 Butt Plate                                                           | 1 25   | U 47 Magazine Tube, complete with bushing                  |        |                              |        |                             |        |
| U 16 Butt Plate Screws (2), each                                          | 15     | U 48 } two lugs                                            | 3 75   |                              |        |                             |        |
| U 17A Butt Stock, Grade 10A                                               | 7 50   | U 49 Magazine Plug                                         | 50     |                              |        |                             |        |
| U 18 Butt Stock Bolt                                                      | 25     | U 50 Magazine Follower                                     | 50     |                              |        |                             |        |
| U 19 Butt Stock Bolt Washer                                               | 15     | U 51 Magazine Spring                                       | 25     |                              |        |                             |        |
| U 20 and 21 Carrier and Spring                                            | 3 75   | U 52 1/2 Safety Spring                                     | 25     |                              |        |                             |        |
| U 23 Carrier Stop                                                         | 40     | U 53A Receiver, Grade 10A, B and C                         | 15 00  |                              |        |                             |        |
| U 25 Cocking Head                                                         | 1 90   | U 54 Safety Slide Ball                                     | 15     |                              |        |                             |        |
| U 25 1/2 Cocking Head, complete, with main spring, firing pin and bushing | 2 50   | U 55 Safety Slide                                          | 40     |                              |        |                             |        |
| U 26 Cocking Head Pin                                                     | 15     | U 55 1/2 Safety Slide, complete with ball, plug and spring | 50     |                              |        |                             |        |
| U 27 Ejector Spring                                                       | 25     | U 56 Safety Slide Pin                                      | 50     |                              |        |                             |        |
| U 28 Extractor                                                            | 65     | U 57 Safety Slide Spring                                   | 15     |                              |        |                             |        |
| U 29 Extractor Pin                                                        | 15     | U 58 Safety Slide Plug                                     | 15     |                              |        |                             |        |
|                                                                           |        | U 59 Sear                                                  | 1 00   |                              |        |                             |        |
|                                                                           |        | U 60 Sear Pin                                              | 15     |                              |        |                             |        |
|                                                                           |        | U 61 Sear Spring                                           | 25     |                              |        |                             |        |
|                                                                           |        | U 62 Sear Spring Screw                                     | 15     |                              |        |                             |        |
|                                                                           |        | U 63 Tang Screw                                            | 15     |                              |        |                             |        |
|                                                                           |        | U 64 Trigger                                               | 1 50   |                              |        |                             |        |
|                                                                           |        | U 65 Trigger Pin                                           | 15     |                              |        |                             |        |



Be sure to order parts by number and if possible send broken piece. Always say whether for right or left hand.

# THE LEFEVER ARMS CO., INC., ITHACA, N. Y.



**PART PRICES FOR LEFEVER GUNS NUMBERED OVER 100,000**

## NITRO SPECIAL

| Add Postage               |        |                             |        | Add Postage            |        |
|---------------------------|--------|-----------------------------|--------|------------------------|--------|
|                           | Each   |                             | Each   |                        | Each   |
| 101 Hammer                | \$1 25 | 112 Trigger Pin             | \$0 35 | 123 Forend Spring      | \$0 65 |
| 102 Forend Fastener Bolt  | 1 25   | 113 Bolt Spring Cap         | 35     | 124 Trip Spring        | 65     |
| 103 Forend Fastener Screw | 35     | 114 Main Spring Cap         | 35     | 125 Safety Lever Catch | 35     |
| 104 Safety Button         | 95     | 115 Butt Plate              | 1 60   | 126 Top Lever Post     | 1 25   |
| 105 Safety Lever          | 65     | 116 Trigger Plate           | 2 50   | 127 Top Lever          | 2 50   |
| 106 Trip                  | 35     | 117 Cocking Rod             | 65     | 128 Trigger Spring     | 35     |
| 107 Trigger Bridge        | 65     | 118 Trigger (front or rear) | 1 25   | 129 Safety Spring      | 35     |
| 108 Safety Rod            | 35     | 119 Main Spring             | 65     | 130 Trigger Guard      | 1 85   |
| 109 Trigger Spring        | 35     | 120 Safety Post             | 90     |                        |        |
| 110 Trigger Washer        | 35     | 121 Sear (right or left)    | 65     |                        |        |
| 111 Cocking Cam           | 65     | 122 Sear or Hammer Pin      | 35     |                        |        |

Extra barrels cost 1/2 the price of the gun. Entire gun needed at plant for about 2 to 3 weeks.


NOTE—Order parts by number and give number of gun. Send old part if possible.

## PART PRICES FOR DISCONTINUED MODELS OF LEFEVER GUNS NUMBERED UNDER 100,000

| Add Postage               |        | An extra charge will be made for any parts which have to be made by hand. |        |                                        |        |
|---------------------------|--------|---------------------------------------------------------------------------|--------|----------------------------------------|--------|
|                           | Each   |                                                                           | Each   |                                        | Each   |
| 1 Extractor (Rough)       | \$2 50 | 12 Mainspring                                                             | \$1 25 | 23 Trigger-Pull adjusting screw        | \$0 65 |
| 2 Trip and Spring         | 1 25   | 13 Lug-Pin                                                                | 65     | 24 Ejector Kicker (right or left)      | 1 25   |
| 3 Bolt                    | 1 25   | 14 Cocking-Hook                                                           | 2 50   | 25 Butt-Plate                          | 1 85   |
| 4 Top-Lever Spring        | 90     | 15 Hammer-Pin                                                             | 65     | 26 Ejector Frame-Lever (right or left) | 2 50   |
| 5 Cam                     | 1 85   | 16 Firing-Pin                                                             | 65     | 27 Hammer, ejector (right or left)     | 1 85   |
| 6 Top-Lever (Plain)       | 3 75   | 17 Hammer, non-ejector (right or left)                                    | 1 85   | 28 Trigger-Plate                       | 3 75   |
| 7 Safety Adjustment-Screw | 35     | 18 Sear-Spring                                                            | 65     | 29 Guard (plain)                       | 3 15   |
| 8 Safety-Bar              | 1 85   | 19 Sear (right or left)                                                   | 1 85   | Forend, complete                       | 8 50   |
| 9 Safety Slide            | 1 25   | 20 Trigger Spring                                                         | 65     | Forend, wood                           | 5 00   |
| 10 Indicator Pin          | 65     | 21 Trigger (right or left)                                                | 1 85   | Forend, iron                           | 5 00   |
| 11 Indicator Springs      | 65     | 22 Compensating Screw                                                     | 90     |                                        |        |

NOTE—Order parts by number and give number of gun. Always state whether right or left hand. Send old part, if possible.

# PARKER HAMMERLESS PARTS



|    |                             |             |
|----|-----------------------------|-------------|
| 1  | Right-hand Hammer           | .....\$2 25 |
| 2  | Left-hand Hammer            | .....2 25   |
| 3  | Hammer Stirrup              | .....7 75   |
| 4  | Mainspring                  | .....6 00   |
| 5  | Mainspring Plunger          | .....7 75   |
| 6  | Sear                        | .....1 50   |
| 7  | Sear Spring                 | .....9 00   |
| 8  | Righ-hand Trigger           | .....9 00   |
| 9  | Left-hand Trigger           | .....9 00   |
| 10 | Trigger Spring              | .....3 00   |
| 11 | Top Lever                   | .....1 50   |
| 12 | Extractor                   | .....1 50   |
| 13 | Cocking Slide               | .....1 50   |
| 14 | Bolt Lever, with roll       | .....1 11   |
| 15 | Square Top Bolt             | .....1 11   |
| 16 | Round Top Bolt              | .....7 75   |
| 17 | Roll                        | .....1 50   |
| 18 | Roll Pin                    | .....1 11   |
| 19 | Top Lever Spring            | .....1 11   |
| 20 | Trip Spring and Pin         | .....5 00   |
| 21 | Unhooking Slide             | .....1 90   |
| 22 | Cocking Crank               | .....1 90   |
| 23 | Cocking Hook                | .....1 11   |
| 24 | Cocking Hook Pin and Spring | .....1 11   |
| 25 | Cocking Hook Screw          | .....4 00   |
| 26 | Safety Pin                  | .....3 00   |
| 27 | Unhooking Pin and Spring    | .....3 00   |
| 28 | Safety Lever and Jacket     | .....1 11   |
| 29 | Safety Slide                | .....7 75   |
| 30 | Safe y Slide Spring         | .....1 50   |
| 31 | Sear Pin                    | .....1 11   |
| 32 | Bushing for Tang Screw      | .....4 00   |
| 33 | Fore-end Lock, complete     | .....4 50   |
| 34 | Fore-end Lever              | .....1 50   |
| 35 | Fore-end Tumbler            | .....7 75   |
| 36 | Fore-end Lever Spring       | .....3 00   |
| 37 | Guard Bow                   | .....1 50   |
| 38 | Trigger Plate               | .....4 50   |
| 39 | Fore-end Iron               | .....2 25   |

# ITHACA GUN PARTS

|                                                                                                                                                                                                                                                                       |                      |                                                                  |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------|------------------|
| Butt plate                                                                                                                                                                                                                                                            | .....\$1 25          | Reboring two Barrels                                             | .....\$5 00      |
| Bolt Spring                                                                                                                                                                                                                                                           | .....50              | Refinishing and Rechecking Stock on No. 2 or cheaper grades      | .....4 00        |
| Cocking Lever (old model)                                                                                                                                                                                                                                             | .....1 00            | Refinishing Stocks and Rechecking on higher grades               | .....6 50        |
| Cocking Hook                                                                                                                                                                                                                                                          | .....75              | Refinishing Fore-end on No. 1 or cheaper grades                  | .....2 00        |
| Extractors, plain                                                                                                                                                                                                                                                     | .....1 50            | Refinishing Fore-end on higher grades                            | .....5 00        |
| Extra Barrels, one-half price of gun, net. (Must have entire gun to fit barrels).                                                                                                                                                                                     |                      | Repolishing one Barrel                                           | .....2 50        |
| Ejector extractors. (Must have entire gun if we fit extractors)                                                                                                                                                                                                       | .....2 50            | Repolishing two Barrels                                          | .....5 00        |
| Firing pin                                                                                                                                                                                                                                                            | .....50              | Removing dents \$2.50 per Barrel; if necessary to rebrown, extra | .....4 00        |
| Fore-end Spring                                                                                                                                                                                                                                                       | .....50              | Reharden Frame                                                   | .....7 50        |
| Fore-end complete, Field or No. 1                                                                                                                                                                                                                                     | .....5 50            | Roblue Guard, Triggers, Fore-end Iron and Top Lever              | .....3 50        |
| No. 2                                                                                                                                                                                                                                                                 | .....7 50            | Safety Button                                                    | .....6 00        |
| No. 3                                                                                                                                                                                                                                                                 | .....10 00           | Safety, complete                                                 | .....2 50        |
| No. 4                                                                                                                                                                                                                                                                 | .....12 50           | Silver's pattern soft rubber recoil pad fitted to gun            | .....5 00        |
| No. 5                                                                                                                                                                                                                                                                 | .....15 00           | Stock, fitted and finished, No. 1 or cheaper grades              | .....10 00       |
| No. 6                                                                                                                                                                                                                                                                 | .....20 00           | No. 2                                                            | .....15 00       |
| No. 7                                                                                                                                                                                                                                                                 | .....25 00           | No. 3                                                            | .....20 00       |
| Sousa Grade. (Add 50 per cent if gun is an Ejector)                                                                                                                                                                                                                   | .....40 00           | No. 4                                                            | .....22 50       |
| Entire gun must be sent to us to be sure fore-end will fit, but if serial number, gauge and grade are given we can usually send a fore-end which will fit well enough to work, except that an Ejector fore-end cannot be fitted without having entire gun at factory. |                      | No. 5                                                            | .....30 00       |
| Fore-end, wood                                                                                                                                                                                                                                                        | .....\$3 50 to 20 00 | No. 6                                                            | .....35 00       |
| Fore-end, iron                                                                                                                                                                                                                                                        | .....3 50 to 20 00   | No. 7                                                            | .....50 00       |
| Guard, plain                                                                                                                                                                                                                                                          | .....\$1 50          | Sousa Grade (To restock gun, must have entire gun at factory)    | .....75 00       |
| Hammer                                                                                                                                                                                                                                                                | .....1 00            | Stock, turned and milled, one-half price of finished stock.      |                  |
| Lyman front ivory sight                                                                                                                                                                                                                                               | .....75              | Screw                                                            | .....2 00        |
| Lyman rear ivory sight                                                                                                                                                                                                                                                | .....75              | Sear                                                             | .....5 00        |
| Main spring                                                                                                                                                                                                                                                           | .....65              | Sear Spring                                                      | .....2 00        |
| Overhauling locks (send entire gun)                                                                                                                                                                                                                                   | .....4 00            | Tumbler                                                          | .....2 00        |
| Overhauling Ejectors (send entire gun)                                                                                                                                                                                                                                | .....4 00            | Trigger Plate, plain                                             | .....1 00        |
| Rebrowning Barrels                                                                                                                                                                                                                                                    | .....4 00            | Trip Spring                                                      | .....2 00        |
| Reboring one Barrel                                                                                                                                                                                                                                                   | .....2 50            | Trigger                                                          | .....3 00        |
|                                                                                                                                                                                                                                                                       |                      | Top Lever, plain                                                 | .....75c to 3 50 |
|                                                                                                                                                                                                                                                                       |                      | Top Lever Post                                                   | .....2 00        |
|                                                                                                                                                                                                                                                                       |                      | Under Bolt                                                       | .....1 00        |

Write name and address plainly on outside of package.  
 Write full instructions at time of shipping. DO NOT SEND US YOUR GUN CASE.  
 Give serial number of gun as stamped on barrels, frame and fore-end and state if hammer or hammerless, when ordering parts or writing about gun.

# BLACK WALNUT STAINED GUN STOCKS

RESTOCKING MADE EASY



Made from Selected Imported and Fine Grain Domestic Walnut. Turned from a pattern designed to re-stock any American, English, or Belgian double breech-loading gun, with dimensions that permit making any drop or length of stock that may be required. Turned very close to finish.

|    |                                        |             |
|----|----------------------------------------|-------------|
| 1. | Good quality English walnut            | .....\$2 50 |
| 2. | Fine quality English walnut            | .....5 00   |
| 3. | Fine selected pattern English walnut   | .....7 50   |
| 4. | Good quality domestic walnut           | .....1 50   |
| 5. | Fine quality domestic walnut           | .....2 00   |
| 6. | Finest selected curled domestic walnut | .....6 00   |

Each, Ne


REMINGTON-AUTOLOADING SHOTGUN—COMPONENT PARTS

| Part                             | Price  |
|----------------------------------|--------|
| V 1 Action Spring Tube           | \$0 25 |
| V 2 Action-Spring                | 25     |
| V 3 Action-Spring Follower       | 15     |
| V 4 Action-Spring Plug           | 15     |
| V 6 Barrel Extension             | 5 00   |
| V 7 Breech Bolt                  | 5 00   |
| V 8 Butt-Stock No. 11A           | 7 50   |
| V 9 Butt-Stock Nos. 11B and 11C  | 25 00  |
| V 13 Butt-Plate                  | 1 25   |
| V 14 Butt-Plate Screws (2), each | 15     |
| V 15 Carrier                     | 2 50   |
| V 16 Carrier-Spring              | 25     |
| V 17 Carrier-Screws (2), each    | 15     |
| V 18 Carrier-Dog                 | 50     |
| V 19 Carrier-Dog Spring          | 15     |
| V 20 Carrier-Dog Follower        | 15     |
| V 21 Carrier-Dog Pin             | 15     |
| V 22 Carrier-Latch               | 1 60   |
| V 23 Carrier-Latch Spring        | 15     |
| V 24 Carrier-Latch Button        | 15     |
| V 25 Carrier-Latch Screw         | 15     |
| V 26 Cartridge-Stop              | 75     |
| V 27 Cartridge-Stop Spring       | 15     |
| V 28 Cartridge-Stop Screw        | 15     |
| V 29 Extractor                   | 25     |
| V 30 Extractor-Spring            | 25     |
| V 31 Extractor-Pin               | 10     |
| V 32 Firing-Pin                  | 75     |
| V 33 Firing-Pin Stop Pin         | 15     |
| V 34 Friction-Piece, bronze      | 25     |
| V 35 Friction-Spring             | 25     |
| V 36 Friction-Ring               | 15     |
| V 37 Front Sight, complete       | 1 25   |

| Part                                      | Price  |
|-------------------------------------------|--------|
| V 39 Fore-end complete No. 11A            | \$2 50 |
| V 40 Fore-end, complete, Nos. 11B and 11C | 10 00  |
| V 45 Hammer                               | 1 00   |
| V 46 Hammer-Pin                           | 15     |
| V 48 Locking Screws, each                 | 15     |
| V 49 Locking-Block                        | 1 60   |
| V 50 Locking-Block Latch                  | 50     |
| V 51 Locking-Block Latch-Spring           | 15     |
| V 52 Locking-Block Latch-Pin              | 15     |
| V 53 Link                                 | 1 00   |
| V 54 Link-Pin                             | 15     |
| V 55 Magazine                             | 1 90   |
| V 56 Magazine-Spring                      | 25     |
| V 57 Magazine-Spring Retainer             | 15     |
| V 58 Magazine-Follower                    | 25     |
| V 59 Magazine-Cap, Nos. 11A, B and C      | 50     |
| V 60 Magazine-Cap, No. 11D                | 2 50   |
| V 63 Magazine-Cap Stop complete           | 25     |
| V 64 Mainspring                           | 65     |
| V 65 Mainspring-Screw                     | 15     |
| V 66 Operating-slide, Nos. 11A, B and C   | 1 50   |
| V 70 Receiver Nos. 11A, B and C           | 20 00  |
| V 74 Recoil-Spring                        | 75     |
| V 75 Safety                               | 75     |
| V 76 Safety Sear                          | 50     |
| V 77 Safety-sear Follower                 | 15     |
| V 78 Safety-sear Spring                   | 15     |

| Part                                  | Price  |
|---------------------------------------|--------|
| V 79 Tang-Screw                       | \$0 15 |
| V 80 Trigger                          | 1 00   |
| V 81 Trigger-Spring                   | 25     |
| V 82 Trigger-Pin                      | 15     |
| V 83 Trigger-Plate, Nos. 11A, B and C | 5 00   |


| Part                          | Price  |
|-------------------------------|--------|
| V 87 Trigger-Plate Front Pin  | \$0 15 |
| V 88 Trigger-Plate Rear Screw | 15     |
| V 89 Ejector                  | 25     |
| V 90 Receiver Bushing         | 25     |
| V 91 Receiving Bushing Rivet  | 15     |



| Part                            | Price   |
|---------------------------------|---------|
| 1 Barrels, per pair             | \$18 21 |
| 1a Butt Stock with Plate        | 12 50   |
| 3 Butt Plate                    | 63      |
| 4 Butt Plate Screw              | 15      |
| 5 Cocking Lever                 | 56      |
| 6 Extractor Lever               | 58      |
| 7 Extractor                     | 1 25    |
| 8 Extractor Screw               | 15      |
| 9 Extractor Lever Pin           | 15      |
| 10 Frame                        | 13 13   |
| 10a Frame and Action, complete  | 25 50   |
| 11 Fore-end, Wood               | 2 25    |
| 11a Fore-end, complete          | 5 63    |
| 12 Fore-end, Iron               | 3 44    |
| 13 Fore-end Spring              | 44      |
| 14 Fore-end Spring Spring       | 25      |
| 15 Fore-end Spring Spring Screw | 15      |
| 16 Fore-end Spring Pin          | 15      |
| 17 Fore-end Screw, Long         | 15      |
| 18 Fore-end Screw, Short        | 15      |
| 19 Firing Pin                   | 32      |
| 20 Firing Pin Screw             | 15      |
| 21 Front Sight                  | 15      |
| 22 Guard                        | 1 44    |
| 23 Guard Screw, Long            | 15      |
| 24 Guard Screw, Short           | 15      |
| 25 Hammer, Right                | 1 00    |
| 26 Hammer, Left                 | 1 00    |
| 27 Hammer Rod                   | 32      |
| 28 Hammer Rod Pin               | 15      |
| 29 Hammer Screw                 | 20      |
| 30 Joint Pin                    | 32      |

| Part                       | Price  |
|----------------------------|--------|
| 31 Joint Pin Screw         | \$0 15 |
| 32 Mainspring              | 38     |
| 33 Mainspring Plunger      | 32     |
| 34 Stock Bolt              | 63     |
| 35 Stock Bolt Washer       | 15     |
| 36 Sear, Right             | 63     |
| 37 Sear, Left              | 63     |
| 38 Sear Spring             | 25     |
| 39 Sear Spring Screw       | 15     |
| 40 Sear Screw              | 15     |
| 41 Safety Button Pin       | 15     |
| 42 Safety Spring           | 20     |
| 43 Safety Spring Screw     | 10     |
| 44 Safety Lever            | 44     |
| 45 Safety Lever Pin        | 15     |
| 46 Safety Operating Lever  | 63     |
| 47 Safety Button           | 63     |
| 48 Top Snap                | 1 88   |
| 49 Top Snap Plunger        | 15     |
| 50 Top Snap Plunger Spring | 15     |
| 51 Top Snap Nut            | 25     |
| 52 Top Snap Nut Lock       | 20     |
| 53 Top Snap Nut Lock Screw | 15     |
| 54 Top Snap Tip            | 32     |
| 55 Top Snap Trip Spring    | 15     |
| 56 Trigger, Right          | 75     |
| 57 Trigger, Left           | 75     |
| 58 Trigger Spring          | 20     |
| 59 Trigger Spring Screw    | 15     |
| 60 Trigger Plate           | 2 50   |
| 61 Trigger Plate Screw     | 15     |
| 62 Tang Screw Top          | 15     |
| 63 Top Snap Stop Block     | 38     |


Double-Barrel Hammerless Shotgun, No. 335—Stevens



| Part                            | Price   |
|---------------------------------|---------|
| 1 Barrels, per pair             | \$14 38 |
| 2 Butt Stock                    | 10 63   |
| 3 Butt Plate                    | 63      |
| 4 Butt Plate Screw              | 15      |
| 5 Extractor                     | 1 05    |
| 6 Extractor Lever               | 38      |
| 7 Extractor Lever Pin           | 15      |
| 8 Extractor Screw               | 15      |
| 9 Fore-end, Wood                | 2 20    |
| 9a Fore-end, complete           | 4 38    |
| 10 Fore-end Screw, Long         | 15      |
| 11 Fore-end Screw, Short        | 15      |
| 12 Fore-end, Iron               | 2 50    |
| 13 Fore-end Spring              | 44      |
| 14 Fore-end Spring Spring       | 15      |
| 15 Fore-end Spring Spring Pin   | 15      |
| 16 Fore-end Spring Spring Screw | 15      |
| 17 Firing Pin                   | 32      |
| 18 Firing Pin Screw             | 15      |
| 19 Front Sight                  | 15      |
| 20 Frame                        | 10 63   |
| 20a Frame and Action            | 18 78   |
| 21 Guard                        | 1 05    |
| 22 Guard Screw, Long            | 15      |
| 23 Guard Screw, Short           | 15      |
| 24 Hammer, Left                 | 1 25    |
| 25 Hammer, Right                | 1 25    |
| 26 Hammer Screw                 | 20      |
| 27 Hammer Shaft                 | 15      |
| 28 Hammer Shaft Collar          | 15      |
| 29 Mainspring                   | 38      |


| Part                              | Price  |
|-----------------------------------|--------|
| 30 Mainspring Plunger Seat        | \$0 25 |
| 31 Mainspring Plunger Head, Right | 28     |
| 32 Mainspring Plunger Head, Left  | 38     |
| 33 Sear, Left                     | 50     |
| 34 Sear, Right                    | 50     |
| 35 Sear Spring                    | 20     |
| 36 Sear Spring Screw              | 15     |
| 37 Sear Screw                     | 15     |
| 38 Sear Stop                      | 15     |
| 39 Stock Bolt                     | 63     |
| 40 Stock Bolt Washer              | 15     |
| 41 Top Snap                       | 1 58   |
| 42 Top Snap Plunger               | 15     |
| 43 Top Snap Plunger Spring        | 15     |
| 44 Top Snap Nut                   | 20     |
| 45 Top Snap Nut Lock              | 20     |
| 46 Top Snap Nut Lock Screw        | 15     |
| 47 Top Snap Stock Block           | 38     |
| 48 Top Snap Trip                  | 32     |
| 49 Top Snap Trip Spring           | 15     |
| 50 Trigger, Right                 | 56     |
| 51 Trigger, Left                  | 56     |
| 52 Trigger Spring                 | 25     |
| 53 Trigger Spring Screw           | 15     |
| 54 Trigger Plate                  | 2 50   |
| 55 Trigger Pin                    | 15     |
| 56 Trigger Plate Screw            | 15     |
| 57 Tang Screw Top                 | 15     |
| 58 Tumbler, Right                 | 88     |
| 59 Tumbler, Left                  | 88     |

Double-Barrel Hammer Shotgun, No. 235—Stevens



The minimum charge for any part order, including postage, is 25 cents. When ordering parts, give gauge of the gun for which part is required.

# STEVENS REPEATING SHOT GUN PARTS




## COMPONENT PARTS FOR NO. 520 AND 620, REPEATING SHOTGUNS

|                                                                    |         |                                         |        |                                              |        |                                        |        |                                                      |        |
|--------------------------------------------------------------------|---------|-----------------------------------------|--------|----------------------------------------------|--------|----------------------------------------|--------|------------------------------------------------------|--------|
| *1 Barrel only No. 520-620 .....                                   | \$18 00 | 11 Extractor plunger right .....        | \$0 15 | 35 Magazine spring .....                     | \$0 45 | 53 Safety spring plunger No. 520 ..... | \$0 15 | 72 Sliding breech stop screw .....                   | \$0 15 |
| * Barrel with magazine and operating handle complete No. 520 ..... | \$27 00 | 12 Extractor left .....                 | 50     | 36 Magazine follower..                       | 65     | 54 Safety No. 620 ...                  | 65     | 73 Stock with butt plate No. 520 .....               | 9 75   |
| * Barrel with magazine and operating handle complete No. 620 ..... | \$27 00 | 13 Extractor pin right .....            | 15     | 37 Magazine plug ....                        | 75     | 55 Safety plunger No. 620 .....        | 15     | 74 Stock with butt plate and pistol grip cap No. 620 | 10 50  |
| 2 Butt plate .....                                                 | 65      | 14 Extractor pin left ..                | 15     | 38 Magazine plug screw .....                 | 20     | 56 Safety plunger spring .....         | 15     | 75 Stock tang screw No. 520 .....                    | 25     |
| 3 Butt plate screw (2) .....                                       | 15      | 15 Extractor spring left .....          | 15     | 39 Magazine nut .....                        | 1 60   | 57 Safety plunger screw .....          | 15     | 76 Stock tang screw No. 620 .....                    | 25     |
| 4 Cartridge stop O. S. 520 .....                                   | 50      | 16 Ejector .....                        | 50     | 40 Operating handle, wood only No. 520 ..... | 3 15   | 58 Sear No. 620 .....                  | 30     | 77 Trigger No. 520 ..                                | 1 00   |
| 4b Cartridge stop O. S. 620 .....                                  | 50      | 17 Ejector screw .....                  | 15     | 41 Operating handle, wood only No. 620 ..... | 4 25   | 59 Sear spring No. 620 .....           | 15     | 78 Trigger No. 620 ..                                | 1 00   |
| 5 Cartridge stop N. S. 520 .....                                   | 50      | 18 Firing pin .....                     | 75     | 42 Operating handle, complete, No. 520       | 8 75   | 60 Sight No. 520 .....                 | 15     | 79 Trigger Pin No. 520 .....                         | 15     |
| 5b Cartridge stop N. S. 620 .....                                  | 50      | 19 Firing pin stop pin                  | 15     | 43 Operating handle, complete, No. 620       | 9 90   | 61 Sight No. 620 .....                 | 15     | 80 Trigger pin No. 620 .....                         | 15     |
| 5a Cartridge stop screw                                            | 15      | 20 Hammer complete No. 520 .....        | 1 25   | 44 Operating handle, collar front .....      | 90     | *62 Slide No. 520 ...                  | 3 15   | 81 Trigger spring No. 520 .....                      | 30     |
| 6 Cartridge stop bushing .....                                     | 15      | 21 Hammer complete No. 620 .....        | 1 25   | 45 Operating handle, bar .....               | 4 75   | *63 Slide No. 620 ...                  | 3 15   | 82 Trigger spring No. 620 .....                      | 30     |
| 7 Cartridge stop bushing screw .....                               | 15      | 22 Hammer pin .....                     | 15     | 46 Operating handle, bar only .....          | 1 85   | 64 Slide lock .....                    | 1 85   | *83 Trigger plate No. 520 .....                      | 3 75   |
| 8 Cartridge stop screw front .....                                 | 15      | 23 Hammer spacing collar .....          | 15     | 47 Pistol grip cap No. 620 .....             | 45     | 65 Slide lock pin ...                  | 15     | *84 Trigger plate No. 620 .....                      | 3 75   |
| 9 Extractor right .....                                            | 50      | *24 Locking block ....                  | 3 15   | 48 Pistol grip cap screw (2) .....           | 15     | 66 Slide lock spring..                 | 15     | 85 Trigger plate screw                               | 20     |
| 10 Extractor spring right .....                                    | 15      | 25 Lifter .....                         | 2 50   | 49 Receiver No. 520..                        | 19 00  | 67 Slide lock release No. 520 .....    | 45     | 86 Trigger plate pin..                               | 15     |
|                                                                    |         | 26 Lifter pawl .....                    | 45     | 50 Receiver No. 620..                        | 20 00  | 68 Slide lock release No. 620 .....    | 45     |                                                      |        |
|                                                                    |         | 27 Lifter pawl spring and plunger ..... | 25     | 51 Safety No. 520 ....                       | 65     | 69 Slide lock release spring .....     | 15     |                                                      |        |
|                                                                    |         | 28 Lifter pawl pin ....                 | 15     | 52 Safety spring No. 520 .....               | 15     | *70 Sliding breech No. 520 .....       | 5 00   |                                                      |        |
|                                                                    |         | 29 Lifter spring .....                  | 45     |                                              |        | *71 Sliding breech No. 620 .....       | 5 50   |                                                      |        |
|                                                                    |         | 30 Lifter screw .....                   | 25     |                                              |        |                                        |        |                                                      |        |
|                                                                    |         | 31 Mainspring No. 520                   | 45     |                                              |        |                                        |        |                                                      |        |
|                                                                    |         | 32 Mainspring No. 620                   | 65     |                                              |        |                                        |        |                                                      |        |
|                                                                    |         | 33 Mainspring screw..                   | 15     |                                              |        |                                        |        |                                                      |        |
|                                                                    |         | 34 Magazine tube ...                    | 1 85   |                                              |        |                                        |        |                                                      |        |

When ordering parts give gauge and model of the gun for which part is required. A minimum selling price of 25c has been established on all small component part orders to cover the cost of handling. \*These parts cannot be supplied on Mail Order. It will be necessary to return arm to us for fitting.



PARTS FOR KNICKERBOCKER HAMMERLESS AND AMERICAN HAMMER GUNS



When ordering parts give serial number stamped on gun and also gauge.

PARTS FOR KNICKERBOCKER HAMMERLESS GUN No. 6.

| No.                        | Each   | No.                  | Each   | No.                      | Each   |
|----------------------------|--------|----------------------|--------|--------------------------|--------|
| 23. Bridle                 | \$0 40 | 31. Locking Bolt     | \$0 60 | 50. Safety Slide Spring  | \$0 15 |
| 67. Bridle Screw           | 15     | 32. Lever            | 80     | Screw                    | 30     |
| 24. Cocking Rod            | 45     | 33. Lever Stud       | 50     | 41. Safety Slide Spring  | 30     |
| 45. Cocking Rod Screw      | 15     | 34. Lever Arm        | 30     | 42. Trigger              | 40     |
| 46. Cocking Pin            | 15     | 70. Lever Pin        | 15     | 43. Trigger Spring       | 15     |
| 68. Connection Pin         | 15     | 49. Lock Screw       | 15     | 53. Trigger Spring Screw | 15     |
| 25. Firing Pin             | 30     | 35. Main Spring      | 40     | 44. Trigger Plate        | 1 50   |
| 26. Firing Pin Bushing     | 30     | 36. Main Spring Rod  | 30     | 52. Tang Screw (Front)   | 15     |
| 27. Fore-end Iron          | 1 50   | 71. Stock (Finished) | 10 00  |                          |        |
| 47. Guard Screw            | 15     | 51. Side Plate Screw | 15     |                          |        |
| 28. Hammer                 | 1 00   | 37. Sear             | 40     |                          |        |
| 29. Hammer Pin             | 15     | 72. Sear Spring      | 20     |                          |        |
| 29. Indicator              | 30     | 38. Sear Pin         | 15     |                          |        |
| 30. Indicator Spring       | 20     | 73. Sear Rod         | 30     |                          |        |
| 48. Indicator Spring Screw | 15     | 40. Safety Slide     | 60     |                          |        |

All other parts same as Hammer Gun.

New Barrels Fitted to Hammerless Guns

|                  |         |
|------------------|---------|
| Blued Steel      | \$15 00 |
| Browning Barrels | 5 00    |

Parts for Hammer Gun No. 0.

| No.                        | Each   |
|----------------------------|--------|
| 0. Barrel Loop             | \$1 50 |
| 3. Butt Plate              | 75     |
| 54. Butt Plate Screw       | 15     |
| 4. Bridle                  | 30     |
| 73. Bridle Screw           | 15     |
| X. D. & E. Catch, Complete | 1 50   |
| 5. D. & E. Large Part      | 90     |
| 6. D. & E. Small Part      | 60     |
| 7. D. & E. Spring          | 20     |
| 74. D. & E. Pin            | 15     |
| 56. D. & E. Screw          | 15     |
| 75. D. & E. Spring Screw   | 15     |
| 8. Extractor               | 1 00   |
| 64. Extractor Pin          | 15     |
| 57. Extractor Screw        | 15     |
| 1. Firing Pin              | 30     |
| 2. Firing Pin Seat         | 30     |
| 76. Fore-End, complete     | 4 00   |
| 77. Fore-End, Wood only    | 2 00   |
| 78. Fore-End Wood Screw    | 15     |
| 9. Fore-End Iron           | 1 50   |
| 58. Fore-End Screw         | 15     |
| 10. Trigger Guard          | 1 00   |
| 79. Guard Pin              | 15     |
| 11. Hammer                 | 1 00   |
| 59. Hammer Screw           | 15     |
| 12. Locking Bolt           | 60     |
| 13. Lever                  | 1 20   |
| 14. Lever Arm              | 30     |
| 15. Lever Spring           | 30     |
| 60. Lever Screw            | 15     |
| 80. Lock, complete         | 3 00   |
| 16. Main Spring (Spiral)   | 40     |
| 17. Main Spring Rod        | 30     |
| 81. Main Spring (Flat)     | 75     |
| 66. Roll                   | 15     |
| 82. Rosette                | 30     |
| 61. Rosette Screw          | 15     |
| 18. Sear                   | 40     |
| 19. Sear Spring            | 20     |
| 62. Sear Spring Screw      | 15     |
| 83. Sear Spring Pin        | 15     |
| 84. Stock (Finished)       | 10 00  |
| 85. Sight                  | 15     |
| 63. Side Plate Screw       | 15     |
| 22. Trigger                | 40     |
| 65. Tang Screw             | 15     |
| 86. Trigger Pin            | 15     |
| 20. Trigger Plate          | 1 50   |
| 64. Trigger Plate Screw    | 15     |
| 21. Tumbler                | 75     |

New Barrels Fitted to Hammer Guns

|                  |         |
|------------------|---------|
| Blued Steel      | \$15 00 |
| Browning Barrels | 5 00    |


REMINGTON 22 CAL. REPEATING RIFLE

| Part                                           | Price  | Part                                                     | Price  |
|------------------------------------------------|--------|----------------------------------------------------------|--------|
| W 1. Action Bar                                | \$2.50 | W 40. Magazine Spring, 12A                               | \$0 15 |
| W 2. Action Bar Plunger                        | 15     | W 42. Magazine Tube, Inner, 12A                          | 65     |
| W 3. Action Bar Plunger Pin                    | 15     | W 42... Magazine Tube, Inner complete, 12A               | 2 50   |
| W 4. Action Bar Spring                         | 15     | W 44. Magazine Tube, Outer, 12A                          | 1 25   |
| W 5A. Barrel, Grade 12A                        | 7 50   | W 46. Main Spring                                        | 15     |
| W 6B. Barrel, Grade 12B                        | 7 50   | W 47. Main Spring Rod                                    | 65     |
| W 7. Breech Block                              | 2 50   | W 52A. Receiver, Guide 12A                               | 6 25   |
| W 7½. Breech Block, complete                   | 3 75   | W 53. Receiver Bushing, Plain                            | 20     |
| W 8. Butt Plate, 12A                           | 75     | W 54. Receiver Bushing, Threaded                         | 15     |
| W 10. Butt Plate Screws (2), each              | 15     | W 56. Receiver Bushing Stud                              | 15     |
| W 11. Carrier                                  | 1 25   | W 57. Retainer                                           | 15     |
| W 12. Carrier Dog                              | 50     | W 58. Safety                                             | 15     |
| W 13. Carrier Dog Pin (same as Nos. 16 and 21) | 15     | W 59. Safety Plunger                                     | 15     |
| W 14. Carrier Dog Spring                       | 15     | W 60. Safety Plunger Pin                                 | 15     |
| W 15. Cartridge Stop                           | 40     | W 61. Safety Spring                                      | 15     |
| W 16. Ejector Pin (same as Nos. 13 and 21)     | 15     | W 62A. Stock, Grade 12A                                  | 2 50   |
| W 17. Extractor                                | 50     | W 62B. Stock, Grade 12B                                  | 2 50   |
| W 18. Extractor Plunger                        | 15     | W 62C. Stock, Grade 12C                                  | 2 50   |
| W 19. Extractor Spring                         | 15     | W 66. Take-down Screw                                    | 25     |
| W 20. Firing Pin                               | 50     | W 68. Trigger                                            | 1 00   |
| W 21. Firing-Pin Pin (same as Nos. 13 and 16)  | 15     | W 70. Trigger Spring                                     | 15     |
| W 22. Firing Pin Spring                        | 15     | W 71. Trigger Spring Case                                | 15     |
| W 23. Firing Pin Spring Guide                  | 15     | W 72-73. Wiping Rod                                      | 25     |
| W 24A. Fore End, Grade 12A                     | 1 25   | W 75. Plug Screw (2), each                               | 15     |
| W 24B. Fore End, Grade 12B                     | 1 25   | W 78. Magazine Lever                                     | 35     |
| W 26. Fore-End Escutcheon (2), each            | 15     | W 79. Magazine Lever Spring                              | 15     |
| W 27. Fore-End Screws (2), each                | 15     | W 80. Magazine Lever Pin                                 | 15     |
| W 28. Front sight                              | 35     | W 98. Rear Sight Base                                    | 25     |
| W 29A. Guard, Grade 12A                        | 5 00   | W 98½. Rear Sight, complete                              | 1 00   |
| W 30. Hammer                                   | 95     | W 104. Rear Sight Finger Piece and Step (Octagon Barrel) | 50     |
| W 31. Hammer Bushing                           | 15     | W 105. Rear Sight Finger Piece and Step (Round Barrel)   | 50     |
| W 32. Hammer Pin                               | 15     | W 102. Rear Sight Screw                                  | 15     |
| W 33. Magazine Follower                        | 15     | W 28. Front Sight                                        | 40     |
| W 34. Magazine Pin                             | 15     |                                                          |        |
| W 35. Magazine Plug                            | 40     |                                                          |        |
| W 36. Ejector Spring                           | 15     |                                                          |        |
| W 37. Ejector Spring Screw                     | 15     |                                                          |        |
| W 38. Magazine Ring (1 on Reg., 2 on Gal.)     | 55     |                                                          |        |
| W 39. Magazine Screw                           | 15     |                                                          |        |


Special for Nos. 12B AND 12C GRADES

|                            |        |
|----------------------------|--------|
| W 9. Butt Plate            | \$1 60 |
| W 41. Magazine Spring      | 15     |
| W 43. Magazine Tube, Inner | 65     |
| W 45. Magazine Tube, Outer | 1 25   |

MODEL 12a, 12b, 12c PARTS



WINCHESTER REPEATING SHOTGUNS—COMPONENT PARTS, MODEL 1897



|       |                                        |       |        |
|-------|----------------------------------------|-------|--------|
| 11697 | Sear                                   | ..... | \$0 50 |
| 11797 | Sear Pin                               | ..... | 15     |
| 11897 | Sear Spring                            | ..... | 45     |
| 11997 | Sear Spring Screw                      | ..... | 15     |
| 33997 | Action Slide Lock                      | ..... | 75     |
| 34097 | Action Slide Lock Joint Pin            | ..... | 15     |
| 34197 | Action Slide Lock Joint Pin Stop Screw | ..... | 15     |
| 34297 | Action Slide Lock Spring               | ..... | 15     |
| 34397 | Action Slide Lock Spring Screw         | ..... | 15     |
| 34497 | Action Slide Lock Release Plunger      | ..... | 63     |
| 7297  | Mainspring Strain Screw                | ..... | 15     |
| 7097  | Mainspring                             | ..... | 63     |
| 34597 | Mainspring Pin                         | ..... | 15     |
| 3397  | Carrier complete                       | ..... | 12 50  |
| 34697 | Carrier Pin                            | ..... | 15     |

|       |                                  |       |        |
|-------|----------------------------------|-------|--------|
| 34797 | Carrier Pin Stop Screw           | ..... | \$0 15 |
| 32897 | Cartridge Guide Stop Screw       | ..... | 15     |
| 32997 | Cartridge Stop, right-hand       | ..... | 75     |
| 33097 | Cartridge Stop, left-hand        | ..... | 75     |
| 33297 | Cartridge Stop Spring            | ..... | 15     |
| 33397 | Cartridge Stop Screw, right-hand | ..... | 15     |
| 43997 | Cartridge Stop Screw, left-hand  | ..... | 15     |
| 5097  | Ejector Spring                   | ..... | 20     |
| 26997 | Ejector Spring Screw             | ..... | 20     |
| 32797 | Ejector Pin                      | ..... | 15     |
| 10897 | Front Sight                      | ..... | 15     |
| 7497  | Magazine Tube                    | ..... | 2 38   |
| 32497 | Magazine Band                    | ..... | 1 07   |
| 32597 | Magazine Band Screw              | ..... | 15     |
| 7797  | Magazine Plug                    | ..... | 38     |
| 7897  | Magazine Plug Screw              | ..... | 15     |

|       |                                                          |       |        |
|-------|----------------------------------------------------------|-------|--------|
| 35297 | Action Slide                                             | ..... | \$4 25 |
| 35397 | Action Slide Handle                                      | ..... | 1 25   |
| 35697 | Action Slide Sleeve Screw Cap                            | ..... | 63     |
| 36397 | Action Slide complete                                    | ..... | 5 81   |
| 35797 | Action Slide Handle, Trap or Pigeon Grade                | ..... | 11 21  |
| 35897 | Action Slide Lock Release Plunger Pin                    | ..... | 21     |
| 35997 | Action Slide Lock Release Plunger Pin Spring             | ..... | 11     |
| 36097 | Action Slide Spring                                      | ..... | 21     |
| 36197 | Action Slide Hook                                        | ..... | 57     |
| 36297 | Action Slide Hook Screw                                  | ..... | 11     |
| 197   | Barrel, Plain                                            | ..... | 11 88  |
| 2297  | Breech Bolt                                              | ..... | 5 21   |
| 2597  | Firing Pin                                               | ..... | 38     |
| 28197 | Firing Pin Lock                                          | ..... | 15     |
| 35097 | Firing Pin Lock Screw                                    | ..... | 15     |
| 35197 | Firing Pin Lock Spring                                   | ..... | 15     |
| 2697  | Firing Pin Stop Pin                                      | ..... | 15     |
| 30997 | Extractor, right-hand                                    | ..... | 63     |
| 14797 | Extractor Plunger, right-hand                            | ..... | 15     |
| 31197 | Extractor Plunger Spring, right-hand                     | ..... | 15     |
| 31097 | Extractor, left-hand                                     | ..... | 88     |
| 31397 | Extractor Pin, left-hand                                 | ..... | 15     |
| 2197  | Breech Bolt complete                                     | ..... | 8 69   |
| 3097  | Butt Stock                                               | ..... | 5 63   |
| 3197  | Butt Plate                                               | ..... | 88     |
| 3297  | Butt Plate Screws (2), each                              | ..... | 15     |
| 3497  | Carrier with Cartridge Guide, Friction Spring, and Rivet | ..... | 6 88   |
| 4097  | Cartridge Guide                                          | ..... | 38     |
| 34897 | Cartridge Guide Friction Spring                          | ..... | 15     |
| 34997 | Cartridge Guide Rivet                                    | ..... | 15     |
| 6397  | Hammer with Stirrup and Stirrup Pin                      | ..... | 1 44   |
| 13197 | Hammer Pin                                               | ..... | 15     |
| 6497  | Hammer Stirrup                                           | ..... | 32     |
| 6597  | Hammer Stirrup Pin                                       | ..... | 15     |
| 7697  | Magazine Spring                                          | ..... | 25     |
| 7597  | Magazine Follower                                        | ..... | 20     |
| 7397  | Magazine complete                                        | ..... | 4 50   |
| 32697 | Magazine Stop Screw                                      | ..... | 15     |
| 8297  | Receiver                                                 | ..... | 17 63  |
| 9697  | Guard Bow                                                | ..... | 1 82   |
| 8897  | Trigger Pin                                              | ..... | 15     |
| 33497 | Receiver Shank                                           | ..... | 20     |
| 8197  | Receiver complete                                        | ..... | 19 75  |
| 33597 | Receiver Shank Bolt                                      | ..... | 25     |
| 33697 | Receiver Shank Bolt Washer                               | ..... | 15     |
| 33797 | Receiver Shank Bolt complete                             | ..... | 38     |
| 8797  | Trigger                                                  | ..... | 38     |
| 8997  | Trigger Spring                                           | ..... | 15     |
| 33897 | Trigger Stop Screw                                       | ..... | 15     |

COMPONENT PARTS MODEL 1897, "TAKE DOWN"


|       |                                                |       |        |
|-------|------------------------------------------------|-------|--------|
| 36897 | Action Slide                                   | ..... | \$4 25 |
| 36997 | Adjusting Sleeve                               | ..... | 1 25   |
| 37097 | Adjusting Sleeve Lock                          | ..... | 57     |
| 37197 | Adjusting Sleeve Lock Screw                    | ..... | 15     |
| 297   | Barrel                                         | ..... | 11 88  |
| 37297 | Barrel Chamber Ring                            | ..... | 50     |
| 37397 | Barrel Chamber Ring Retaining Screws (2), each | ..... | 15     |

|       |                                        |       |        |
|-------|----------------------------------------|-------|--------|
| 37497 | Extension Stop Screw                   | ..... | \$0 15 |
| 37597 | Magazine Tube                          | ..... | 3 00   |
| 37697 | Magazine Tube                          | ..... | 1 32   |
| 37797 | Magazine Band Bushing                  | ..... | 63     |
| 37897 | Magazine Band Bushing Screws (2), each | ..... | 15     |
| 37997 | Magazine Plug                          | ..... | 82     |
| 38097 | Magazine Plug Screws (2), each         | ..... | 15     |

|       |                                 |       |        |
|-------|---------------------------------|-------|--------|
| 38197 | Magazine Plug Stop              | ..... | \$0 50 |
| 38297 | Magazine Stop                   | ..... | 15     |
| 38397 | Magazine Stop Screws (2), each  | ..... | 15     |
| 38497 | Magazine Spring                 | ..... | 32     |
| 38597 | Magazine Locking Pin and Spring | ..... | 50     |
| 38697 | Magazine Locking Pin Spring     | ..... | 32     |
| 38797 | Magazine Follower               | ..... | 20     |
| 40397 | T. D. Magazine complete         | ..... | 7 75   |

WINCHESTER REPEATING RIFLES—COMPONENT PARTS, MODEL 1892

|      |                                                           |       |         |
|------|-----------------------------------------------------------|-------|---------|
| 192  | Barrel, round                                             | ..... | \$ 8 75 |
| 292  | Barrel, octagon                                           | ..... | 11 25   |
| 392  | Barrel, half octagon                                      | ..... | 11 25   |
| 492  | Barrel, carbine                                           | ..... | 8 75    |
| 592  | Barrel, musket                                            | ..... | 8 75    |
| 2292 | Breech Bolt                                               | ..... | 3 94    |
| 2392 | Extractor                                                 | ..... | 4 44    |
| 2492 | Extractor Pin                                             | ..... | 15      |
| 2592 | Firing Pin                                                | ..... | 57      |
| 2692 | Firing Pin Stop Pin                                       | ..... | 15      |
| 2792 | Ejector Guide                                             | ..... | 32      |
| 2892 | Ejector Guide Pins (2), each                              | ..... | 15      |
| 2192 | Breech Bolt, complete                                     | ..... | 5 75    |
| 3092 | Butt Stock                                                | ..... | 3 88    |
| 3192 | Butt Plate                                                | ..... | 1 32    |
| 3292 | Butt Plate Screws (2), each                               | ..... | 15      |
| 2992 | Butt Stock complete                                       | ..... | 5 44    |
| 3492 | Carrier                                                   | ..... | 1 13    |
| 3592 | Carrier Stop                                              | ..... | 15      |
| 3692 | Carrier Stop Pin                                          | ..... | 15      |
| 3792 | Carrier Stop Spring                                       | ..... | 15      |
| 3892 | Carrier complete                                          | ..... | 1 50    |
| 3892 | Carrier Screws (2), each                                  | ..... | 15      |
| 3992 | Cartridge Guide, right-hand                               | ..... | 50      |
| 4092 | Cartridge Guide, left-hand, .38 and .44 calibre, complete | ..... | 1 00    |
| 4292 | Cartridge Guide, left-hand, .32 calibre                   | ..... | 50      |
| 4392 | Cartridge Stop                                            | ..... | 50      |
| 4492 | Cartridge Stop Joint Pin                                  | ..... | 15      |
| 4192 | Cartridge Guide, left-hand, .32 calibre, complete         | ..... | 1 63    |
| 4592 | Cartridge Stop Spring                                     | ..... | 15      |
| 4692 | Cartridge Guide Screws (2), each                          | ..... | 15      |
| 4892 | Ejector                                                   | ..... | 82      |
| 4992 | Ejector Collar                                            | ..... | 15      |
| 5092 | Ejector Spring                                            | ..... | 15      |
| 4792 | Ejector complete                                          | ..... | 1 06    |
| 5292 | Finger Lever                                              | ..... | 2 50    |
| 5392 | Friction Stud                                             | ..... | 19      |
| 5492 | Friction Stud Spring                                      | ..... | 15      |
| 5592 | Friction Stud Stop Pin                                    | ..... | 15      |
| 5192 | Finger Lever complete                                     | ..... | 2 94    |
| 5692 | Finger Lever Pin                                          | ..... | 15      |
| 5792 | Finger Lever Pin Stop Screw                               | ..... | 15      |
| 5892 | Forearm                                                   | ..... | 1 75    |
| 5992 | Forearm Tip                                               | ..... | 1 62    |
| 6092 | Forearm Tip Screws (2), each                              | ..... | 15      |
| 6192 | Forearm Tip Tenon                                         | ..... | 50      |
| 9492 | Front Band, carbine                                       | ..... | 82      |
| 9592 | Front Band Screw, carbine                                 | ..... | 15      |




|      |                            |       |        |
|------|----------------------------|-------|--------|
| 6392 | Hammer                     | ..... | \$0 95 |
| 6492 | Hammer Stirrup             | ..... | 32     |
| 6592 | Hammer Stirrup Pin         | ..... | 15     |
| 6292 | Hammer complete            | ..... | 1 56   |
| 6692 | Locking Bolt, right-hand   | ..... | 69     |
| 6792 | Locking Bolt, left-hand    | ..... | 69     |
| 6892 | Locking Bolt Pin           | ..... | 15     |
| 6992 | Locking Bolt Pin Top Screw | ..... | 15     |
| 7092 | Mainspring                 | ..... | 63     |
| 7192 | Mainspring Screw           | ..... | 15     |
| 7292 | Mainspring Strain Screw    | ..... | 15     |
| 7492 | Magazine Tube              | ..... | 1 38   |
| 7592 | Magazine Follower          | ..... | 20     |
| 7692 | Magazine Spring            | ..... | 15     |
| 7792 | Magazine Plug              | ..... | 32     |
| 7892 | Magazine Plug Screw        | ..... | 15     |

|      |                          |       |        |
|------|--------------------------|-------|--------|
| 7992 | Magazine Ring            | ..... | \$0 82 |
| 8092 | Magazine Ring Pin        | ..... | 15     |
| 7392 | Magazine complete        | ..... | 3 06   |
| 8292 | Receiver with Lower Tang | ..... | 13 25  |
| 8392 | Lower Tang               | ..... | 1 69   |
| 8492 | Hammer Screw             | ..... | 15     |
| 8192 | Receiver complete        | ..... | 13 44  |
| 9292 | Rear Band, Carbine       | ..... | 82     |
| 9392 | Rear Band Screw, carbine | ..... | 15     |
| 8592 | Spring Cover             | ..... | 82     |
| 8692 | Spring Cover Screw       | ..... | 15     |
| 8792 | Trigger                  | ..... | 80     |
| 8892 | Trigger Pin              | ..... | 15     |
| 8992 | Trigger Spring           | ..... | 15     |
| 9092 | Trigger Spring Screw     | ..... | 15     |
| 9192 | Upper Tang Screw         | ..... | 15     |

## COMPONENT PARTS OF THE Winchester Repeating Rifle, Model 1890, 22 Caliber


|       |                                           |       |        |
|-------|-------------------------------------------|-------|--------|
| 35290 | Action Slide                              | ..... | \$1 25 |
| 35390 | Action Slide Handle                       | ..... | 75     |
| 35490 | Action Slide Handle Escutcheons (2), each | ..... | 15     |
| 36590 | Action Slide Handle complete              | ..... | 1 00   |
| 35590 | Action Slide Handle Screws (2), each      | ..... | 15     |
| 190   | Barrel, Octagon, 24-inch                  | ..... | 6 25   |
| 3090  | Butt Stock                                | ..... | 2 82   |
| 3190  | Butt Plate                                | ..... | 1 07   |
| 3290  | Butt Plate Screws (2), each               | ..... | 15     |
| 2990  | Butt Stock complete                       | ..... | 3 13   |
| 2290  | Breech Bolt                               | ..... | 2 50   |
| 2390  | Extractor                                 | ..... | 44     |
| 2490  | Extractor Pin                             | ..... | 15     |
| 2590  | Firing Pin and Spring                     | ..... | 75     |
| 10590 | Firing Pin Spring                         | ..... | 15     |
| 25790 | Firing Pin Stop                           | ..... | 25     |
| 25890 | Firing Pin Stop Screws (2), each          | ..... | 15     |
| 2190  | Breech Bolt complete                      | ..... | 4 44   |
| 6490  | Hammer Stirrup                            | ..... | 25     |
| 6590  | Hammer Stirrup Pin                        | ..... | 15     |
| 6290  | Hammer complete                           | ..... | 1 07   |
| 3490  | Carrier                                   | ..... | 1 38   |
| 13290 | Carrier Lever                             | ..... | 15     |
| 13590 | Carrier Lever Pin                         | ..... | 15     |
| 13390 | Carrier Lever Spring                      | ..... | 15     |
| 13490 | Carrier Lever Spring Screw                | ..... | 15     |
| 25590 | Trigger Stop Pin                          | ..... | 15     |
| 3390  | Carrier complete                          | ..... | 2 00   |
| 19890 | Magazine Tube, outside                    | ..... | 1 56   |
| 19990 | Magazine Tube, inside                     | ..... | 1 13   |
| 7790  | Magazine Plug                             | ..... | 15     |
| 19790 | Magazine Plug Pin                         | ..... | 15     |
| 7690  | Magazine Spring                           | ..... | 15     |
| 7590  | Magazine Follower                         | ..... | 15     |
| 20090 | Magazine Tube inside complete             | ..... | 1 63   |
| 19690 | Magazine Friction Spring                  | ..... | 15     |
| 26090 | Magazine Ring, front                      | ..... | 44     |
| 26190 | Magazine Ring, rear                       | ..... | 63     |
| 8090  | Magazine Ring Pin                         | ..... | 15     |
| 7090  | Mainspring                                | ..... | 50     |
| 7190  | Mainspring Screw                          | ..... | 15     |
| 7290  | Mainspring Strain Screw                   | ..... | 15     |



|       |                           |       |        |
|-------|---------------------------|-------|--------|
| 8290  | Receiver                  | ..... | \$6 57 |
| 13690 | Guard                     | ..... | 3 32   |
| 26290 | Assembling Screw          | ..... | 20     |
| 26390 | Assembling Screw Stop Pin | ..... | 15     |
| 26490 | Assembling Screw Bushing  | ..... | 15     |
| 26590 | Slide Cover               | ..... | 25     |
| 26690 | Slide Cover Stop Screw    | ..... | 15     |
| 8190  | Receiver complete         | ..... | 10 69  |
| 8790  | Trigger                   | ..... | 50     |
| 8890  | Trigger Pin               | ..... | 15     |
| 8990  | Trigger Spring            | ..... | 15     |
| 9090  | Trigger Spring Screw      | ..... | 15     |
| 9190  | Upper Tang Screw          | ..... | 15     |
| 20590 | Wiping Rod                | ..... | 20     |

When ordering parts, always give their name and number, also caliber of rifle for which they are wanted. Is possible, also give number of the rifle.

## Savage Model 1907 Automatic Pistol Component Parts




### COMPONENT PARTS FOR SAVAGE PISTOLS

|             |                                            |       |        |
|-------------|--------------------------------------------|-------|--------|
| 3 G 3.      | Barrel (.32 automatic pistol)              | ..... | \$3 00 |
| 3 G 49.     | Barrel (.380 automatic pistol)             | ..... | 3 50   |
| 4 G 2.      | Bolt (.32 automatic pistol)                | ..... | 4 00   |
| 4 G 28.     | Bolt (.380 automatic pistol)               | ..... | 5 00   |
| 2 G 4.      | Breech Plug (.32 automatic pistol)         | ..... | 4 00   |
| 2 G 4 1/2.  | Breech Plug (.380 automatic pistol)        | ..... | 4 50   |
| 2 G 5.      | Breech Plug, complete                      | ..... | 6 00   |
| 2 G 12.     | Firing Pin Connecting Pin                  | ..... | 10     |
| *2 G 8.     | Cocking Lever Spur                         | ..... | 1 25   |
| 2 G 10.     | Cocking Lever Pin                          | ..... | 10     |
| 2 G 21.     | Extractor                                  | ..... | 40     |
| 2 G 22.     | Extractor Spring                           | ..... | 10     |
| 1 G 23.     | Ejector                                    | ..... | 45     |
| *2 G 11.    | Firing Pin                                 | ..... | 60     |
| 2 G 41.     | Firing Pin Spring                          | ..... | \$0 10 |
| 2 G 14.     | Firing Pin Spring Retainer                 | ..... | 25     |
| 1 G 1.      | Frame (.32 automatic pistol)               | ..... | 15 00  |
| 1 G 1 1/2.  | Frame (.380 automatic pistol)              | ..... | 18 00  |
| 1 G 26.     | Magazine Catch                             | ..... | 40     |
| 1 G 35.     | Magazine Catch Pin                         | ..... | 10     |
| 1 G 36.     | Magazine Catch Spring                      | ..... | 10     |
| 6 G 42.     | Magazine, complete (.32 automatic pistol)  | ..... | 1 00   |
| 6 G 42 1/2. | Magazine, complete (.380 automatic pistol) | ..... | 1 00   |
| 4 G 25.     | Retractor Spring (.32 automatic pistol)    | ..... | 25     |
| 4 G 25 1/2. | Retractor Spring (.380 automatic pistol)   | ..... | 35     |
| *2 G 15.    | Sear                                       | ..... | 50     |
| 2 G 16.     | Sear Spring                                | ..... | \$0 10 |
| 5 G 17.     | Sear Trip                                  | ..... | 75     |
| 5 G 20.     | Sear Trip Catch Spring                     | ..... | 10     |
| 5 G 19.     | Sear Trip Catch                            | ..... | 40     |
| 5 G 41.     | Sear Trip, complete                        | ..... | 1 50   |
| 5 G 18.     | Sear Trip Lifter                           | ..... | 15     |
| 5 G 46.     | Sear Trip Retaining Pin                    | ..... | 10     |
| *1 G 24.    | Safety, including Thumb Piece              | ..... | 75     |
| 1 G 38.     | Safety Locking Spring                      | ..... | 10     |
| 1 G 60.     | Safety Locking Spring Button               | ..... | 10     |
| 1 G 33.     | Stock (Right)                              | ..... | 50     |
| 1 G 34.     | Stock (Left)                               | ..... | 50     |
| 5 G 5.      | Trigger                                    | ..... | 75     |
| 1 G 39.     | Trigger Lock                               | ..... | 25     |
| 5 G 6.      | Trigger Spring                             | ..... | 10     |

\*Not supplied on order. Pistol must be returned to Factory to have this part fitted.

WINCHESTER HAMMERLESS REPEATING SHOTGUN

COMPONENT PARTS—MODEL 12




|         |                                                                              |            |         |                                                                           |             |
|---------|------------------------------------------------------------------------------|------------|---------|---------------------------------------------------------------------------|-------------|
| 35212   | Action slide, Std. grade                                                     | \$5 82     | 15412   | Butt stock bolt                                                           | .....\$0 20 |
| 100412  | Act. slide, Tournament, Trap or Pigeon grade                                 | 7 13       | 15512   | Butt stock bolt washer                                                    | 15          |
| 35312   | Action slide handle, Standard grade                                          | .... 88    | 18712   | Butt stock comp.                                                          | 32          |
| 106312  | Action slide handle, Tournament grade                                        | .. 5 05    | 3412    | Carrier, Standard grade                                                   | 3 13        |
| 106412  | Act. slide handle, Trap or Pigeon grade                                      | ....10 55  | 90812   | Carrier, Tournament, Trap or Pigeon grade                                 | 3 88        |
| 35612   | Action slide sleeve                                                          |            | 50312   | Carrier plunger                                                           | ..... 15    |
| 36312   | Action slide complete, Standard grade                                        | .... 7 32  | 50412   | Carrier plunger spring                                                    | 15          |
| 36412   | Action slide complete, Tournament grade                                      | ....12 82  | 33212   | Carrier complete, Standard grade                                          | .... 3 50   |
| 36512   | Act. slide complete, Trap or Pigeon grade                                    | ....18 32  | 3312    | Carrier complete, Tournament, Trap or Pigeon grade                        | .... 4 25   |
| 49212   | Action slide handle retaining spring                                         | .... 15    | 50612   | Carrier pivot                                                             | ..... 15    |
| 49312** | Action slide lock with spring                                                | ..... 2 32 | 12312   | Carrier spring                                                            | ..... 20    |
| 49412   | Action slide lock pivot                                                      | 15         | 20712   | Cartridge cut off                                                         | 1 25        |
| 36012   | Action slide spring                                                          | .... 25    | 50712   | Ejector with spr'ng                                                       | .... 75     |
| 36912   | Adjusting sleeve                                                             | .... 1 25  | 15012** | Hammer spg. rod gd.                                                       | 25          |
| 37012   | Adjusting sleeve lock                                                        | .... 38    | 16012** | Hammer spring guide rod pin                                               | ..... 15    |
| 37112   | Adj. sleeve lock screw                                                       | 15         | 6212**  | Hammer complete, Standard grade                                           | .... 1 88   |
| 112     | *Barrel                                                                      | .....19 38 | 6312**  | Hammer complete, Tournament, Trap or Pigeon grade                         | ..... 2 69  |
| 212     | *Barrel with raised matted rib                                               | .....31 25 | 13112   | Hammer pin                                                                | ..... 15    |
| 374312  | *Barrel, Tournament, Trap or Pigeon grade (Vent. Rib Model)                  | ..69 50    | 14312   | Hammer spring                                                             | ..... 15    |
| 452612  | *Vent. Barrel Rib                                                            | ....39 00  | 7412    | Magazine tube                                                             | ..... 6 50  |
| 37212   | *Barrel chamber ring                                                         | 57         | 37612   | Magazine band                                                             | ..... 1 55  |
| 49512   | Barrel chamber ring screws (2), each                                         | .... 15    | 37712   | Mag. band bushing                                                         | .... 63     |
| 2212    | Breech bolt, Std. grade                                                      | 7 50       | 37812   | Magazine band bushing screws (2), each                                    | .... 15     |
| 465212  | Breech bolt, Tournament, Trap or Pigeon grade                                | ..... 8 13 | 7512    | Magazine follower                                                         | .... 32     |
| 49612   | Breech bolt ret. lever                                                       | 88         | 38512   | Magazine locking pin and spring                                           | ..... 50    |
| 49712   | Breech bolt retaining lever pin                                              | .... 15    | 38612   | Mag. lock pin spring                                                      | .... 32     |
| 30912   | Extractor, right hand                                                        | .... 75    | 7712    | Magazine plug                                                             | ..... 75    |
| 31012   | Extractor, left hand                                                         | .... 63    | 38112   | Magazine plug stop                                                        | .... 38     |
| 49812   | Ext. spring, right hand                                                      | 15         | 38012   | Magazine plug screws (2), each                                            | .... 15     |
| 49912   | Ext. spring, left hand                                                       | 15         | 7612    | Magazine spring                                                           | ..... 20    |
| 50012   | Extractor spring plunger, right hand                                         | 15         | 7312    | Magazine complete                                                         | ..11 88     |
| 31312   | Ext. pin, left hand                                                          | .... 15    | 8212    | *Receiver, Std. grade                                                     | ..25 63     |
| 2512    | Firing pin                                                                   | ..... 57   | 8312    | *Receiver, Tournament or Trap grade                                       | ....35 00   |
| 21412   | Firing pin retractor                                                         | .... 38    | 8412    | *Receiver, Tournament or Trap grade (Vent. rib model) (with receiver rib) | .....38 25  |
| 50112   | Firing pin retr. screw                                                       | 15         | 33412   | Receiver shank                                                            | ..... 88    |
| 60212   | Firing pin spring                                                            | 15         | 13612   | *Guard                                                                    | ..... 5 19  |
| 2112    | Breech bolt complete, Standard grade                                         | ....11 55  | 51912   | Guard screw                                                               | .... 15     |
| 2312    | Breech bolt complete, Tournament, Trap or Pigeon grade                       | .....12 19 | 8112    | *Receiver complete, Standard grade                                        | ....31 32   |
| 3112    | Butt plate                                                                   | ..... 75   | 9012    | *Receiver complete, Tour. or Trap grade                                   | 40 69       |
| 3212    | Butt plate screws (2), each                                                  | .... 15    | 9112*   | Receiver complete, Tour. or Trap grade (Vent. Rib model) (with rec. rib)  | ....43 94   |
| 2912    | Butt stock complete, Standard grade                                          | .... 7 25  | 50812   | *Receiver extension                                                       | .... 3 00   |
| 3012    | Butt stock complete, Tournament grade                                        | ..26 25    | 8712**  | Trigger                                                                   | ..... 88    |
| 3512    | Butt stock complete, Tour. grade (Vent Rib model) with Winchester Recoil Pad | ....32 19  | 17912   | Trigger lock                                                              | ..... 50    |
|         |                                                                              |            | 18012   | Trigger lock plunger                                                      | .... 15     |
|         |                                                                              |            | 18112   | Trigger lock plg. spg.                                                    | .... 15     |
|         |                                                                              |            | 19112   | Trigger lock plunger and spring complete                                  | .... 75     |
|         |                                                                              |            | 8912    | Trigger spring                                                            | .... 15     |
|         |                                                                              |            | 8812    | Trigger pin                                                               | .... 15     |

When ordering parts always give their name and number, also gauge of shotgun for which they are wanted and number of gun if possible, also tell whether Standard, Tournament, Trap or Pigeon grade.

\*\*It is necessary to send guard to factory to have these parts fitted.  
\*In replacing part marked thus it is necessary to send gun to factory to be fitted.

|         |                                                                                     |             |
|---------|-------------------------------------------------------------------------------------|-------------|
| No. 1.  | Barrel complete, with extractor, forearm and sights                                 | .....\$2 10 |
| No. 2.  | Stock with receiver & butt plate, No. 27                                            | 85          |
| No. 3.  | Stock only, No. 27                                                                  | 45          |
| No. 4.  | Forearm, No. 27                                                                     | 15          |
| No. 5.  | Rear sight                                                                          | 08          |
| No. 6.  | Rear sight screw                                                                    | 02          |
| No. 7.  | Front sight                                                                         | 05          |
| No. 8.  | Trigger                                                                             | 12          |
| No. 9.  | Hammer                                                                              | 35          |
| No. 10. | Breech block                                                                        | 20          |
| No. 11. | Thumb screw                                                                         | 08          |
| No. 12. | Main spring                                                                         | 10          |
| No. 13. | Firing pin                                                                          | 05          |
| No. 14. | Take-down screw                                                                     | 10          |
| No. 15. | Extractor                                                                           | 15          |
| No. 16. | Breech block complete, of Nos. 10, 11, 13                                           | 32          |
| No. 17. | Working parts complete, consisting of Nos. 8, 9, 10, 11, 12, 13, 21, 22, 23, 24, 25 | 1 10        |
| No. 18. | Walnut stock only No. 027                                                           | 75          |
| No. 19. | Forearm for No. 027                                                                 | 20          |
| No. 20. | Receiver                                                                            | 30          |
| No. 21. | Lock                                                                                | 30          |
| No. 22. | Pin that fits in lock under breech block                                            | 01          |
| No. 23. | Bushing that holds main spring in lock                                              | 03          |
| No. 24. | Screws that holds lock in receiver, per pair                                        | 06          |
| No. 25. | Pin that holds hammer in lock                                                       | 01          |
| No. 26. | Butt plate                                                                          | 10          |

LIST OF PARTS HAMILTON RIFLE MODEL 27-H, 22 CALIBER




BE SURE TO ORDER BY NUMBER

SPECIAL NOTICE

The smallest repair part ordered that we can profitably handle is 25c. This means if you want only one article and it is listed at a price lower than 25c, you will be obliged to remit 25c for it, this being the minimum mail order that we can handle for repair parts.

# Browning Automatic Shotgun




## COMPONENT PARTS---GRADE 1, 12 AND 16 GAUGE

State Gauge when Ordering

CARE SHOULD BE TAKEN TO STATE WHICH GAUGE PARTS ARE FOR, SINCE THEY DIFFER IN SIZE. 16 & 12 GAUGE.

| No.  | Part                                                                 | Price  | No.  | Part                                        | Price  | No.  | Part                                    | Price  |
|------|----------------------------------------------------------------------|--------|------|---------------------------------------------|--------|------|-----------------------------------------|--------|
| A-1  | Action spring                                                        | \$0 25 | A-28 | Extractor pin, left hand                    | \$0 15 | A-57 | Magazine spring                         | \$0 25 |
| A-2  | Action spring follower                                               | 15     | A-29 | Extractor spring, left hand                 | 25     | A-58 | Magazine spring retainer                | 15     |
| A-3  | Action spring plug and pin                                           | 15     | A-30 | Extractor, right hand                       | 25     | A-59 | Magazine tube                           | 1 90   |
| A-4  | Action spring tube                                                   | 25     | A-31 | Extractor pin, right hand                   | 15     | A-60 | Mainspring                              | 65     |
| A-5  | Barrels, all types. See other literature for prices and descriptions |        | A-32 | Extractor spring, right hand                | 25     | A-61 | Mainspring screw                        | 15     |
| A-6  | Barrel extension                                                     | 5 00   | A-33 | Firing pin                                  | 75     | A-62 | Operating slide                         | 1 50   |
| A-7  | Breech bolt                                                          | 5 00   | A-34 | Firing pin stop pin                         | 15     | A-63 | Receiver                                | 20 00  |
| A-8  | Butt plate                                                           | 1 25   | A-35 | Forearm                                     | 3 50   | A-64 | Recoil spring                           | 75     |
| A-9  | Butt plate screw                                                     | 15     | A-36 | Friction piece bronze                       | 25     | A-65 | Safety                                  | 75     |
| A-10 | Butt stock complete (Includes No. 8 and two screws No. 9)            | 10 95  | A-37 | Friction ring                               | 15     | A-66 | Safety lever                            | 35     |
| A-11 | Butt stock swivel                                                    | 40     | A-38 | Friction spring                             | 25     | A-67 | Safety lever pin                        | 15     |
| A-12 | Carrier Assembled (Includes No. 13-14-15-16-17)                      | 3 20   | A-39 | Hammer assembled (Includes No. 40 41-42-43) | 1 00   | A-68 | Safety spring                           | 15     |
| A-13 | Carrier                                                              | 2 50   | A-40 | Hammer                                      | 55     | A-69 | Safety sear                             | 50     |
| A-14 | Carrier dog                                                          | 50     | A-41 | Hammer pin                                  | 15     | A-70 | Safety sear follower                    | 15     |
| A-15 | Carrier dog follower                                                 | 15     | A-42 | Hammer roll                                 | 20     | A-71 | Safety sear spring                      | 15     |
| A-16 | Carrier dog pin                                                      | 15     | A-43 | Hammer roll pin                             | 15     | A-72 | Screw for No. 18-23 or 50               | 15     |
| A-17 | Carrier dog spring                                                   | 15     | A-44 | Link                                        | 1 00   | A-73 | Sight base                              | 1 05   |
| A-18 | Carrier latch assembled                                              | 1 25   | A-45 | Link pin                                    | 15     | A-74 | Sight bead for plain barrel             | 15     |
| A-19 | Carrier latch button                                                 | 15     | A-46 | Locking block                               | 1 60   | A-75 | Sight bead for rib barrel               | 15     |
| A-20 | Carrier screw                                                        | 15     | A-47 | Locking block latch                         | 50     | A-76 | Sling strap                             | 1 50   |
| A-21 | Carrier spring                                                       | 25     | A-48 | Locking block latch pin                     | 15     | A-77 | Tang screw for pistol grip stock        | 15     |
| A-22 | Carrier spring rivets                                                | 15     | A-49 | Locking block latch spring                  | 15     | A-78 | Tang screw for straight grip butt stock | 15     |
| A-23 | Cartridge stop                                                       | 75     | A-50 | Lock screw                                  | 15     | A-79 | Trigger                                 | 1 00   |
| A-24 | Cartridge stop spring                                                | 15     | A-51 | Magazine cap without swivel                 | 75     | A-80 | Trigger pin                             | 15     |
| A-25 | Ejector                                                              | 25     | A-52 | Magazine cap with swivel                    | 1 00   | A-81 | Trigger spring                          | 25     |
| A-26 | Ejector rivet                                                        | 15     | A-53 | Magazine cut-off                            | 75     | A-82 | Trigger plate                           | 5 00   |
| A-27 | Extractor, left hand                                                 | 25     | A-54 | Magazine cut-off spring                     | 15     | A-83 | Trigger plate screw—front               | 15     |
|      |                                                                      |        | A-55 | Magazine cut-off spring screw               | 15     | A-84 | Trigger plate screw—rear                | 15     |
|      |                                                                      |        | A-56 | Magazine follower                           | 25     |      |                                         |        |

# MODEL 24, REMINGTON 22 CALIBER AUTOLOADING RIFLE PARTS



| PART         | PRICE                            |        |
|--------------|----------------------------------|--------|
| B.A. 1       | Barrel                           | \$7 00 |
| B.A. 2       | Barrel Adj. Ring                 | 25     |
| B.A. 3       | Barrel Take-Up Ring              | 1 25   |
| B.A. 4       | Barrel Take-Up Lock              | 65     |
| B.A. 5       | Barrel Take-Up Lock Spring       | 15     |
| B.A. 6       | Barrel Take-Up Lock Plunger      | 15     |
| B.A. 7       | Barrel Lug                       | 40     |
| B.A. 8       | Breech Block                     | 4 45   |
| B.A. 9       | Breech Block Spring Plug         | 15     |
| B.A. 10      | Breech Block Spring Plug         | 15     |
| B.A. 11      | Breech Block Stop Pin            | 15     |
| B.A. 12      | Butt Plate                       | 50     |
| B.A. 14      | Butt Plate Screws                | 15     |
| B.A. 19      | Cartridge Carrier                | 15     |
| B.A. 20      | Cartridge Guide                  | 1 00   |
| B.A. 21      | Cartridge Guide Stop Spring      | 15     |
| B.A. 22      | Cartridge Stop                   | 75     |
| B.A. 23      | Cartridge Carrier Pin            | 15     |
| B.A. 24      | Cartridge Stop Spring            | 15     |
| B.A. 26      | Disconnecter                     | 25     |
| B.A. 27      | Disconnecter Pin                 | 15     |
| B.A. 28      | Disconnecter Spring              | 15     |
| B.A. 29      | Extractor Plunger Detent         | 15     |
| B.A. 30      | Extractor Detent Spring          | 15     |
| B.A. 31      | Extractor Detent Pin             | 15     |
| B.A. 33      | Extractor                        | 75     |
| B.A. 37      | Extractor Spring                 | 15     |
| B.A. 38      | Extractor Spring Plunger         | 15     |
| B.A. 41      | Firing Pin                       | 1 00   |
| B.A. 42      | Fore-end                         | 1 25   |
| B.A. 43      | Fore-end Escutcheon              | 15     |
| B.A. 44      | Fore-end Screw                   | 15     |
| B.A. 145     | Front Sight                      | 35     |
| B.A. 49      | Inner Magazine Tube              | 65     |
| B.A. 53      | Locating Hole Plug Screw Front   | 15     |
| B.A. 54      | Locating Hole Plug Screw Rear    | 15     |
| B.A. 59      | Magazine Follower                | 15     |
| B.A. 60      | Magazine Follower Plug Front End | 15     |
| B.A. 61      | Magazine Follower Plug Rear End  | 15     |
| B.A. 62      | Magazine Spring                  | 15     |
| B.A. 63      | Magazine Plug                    | 25     |
| B.A. 64      | Magazine Plug Pin                | 15     |
| B.A. 69      | Outer Magazine Tube              | 1 25   |
| B.A. 71      | Peep Sight Plug Screws           | 15     |
| B.A. 173     | Rear Sight Leaf                  | 50     |
| B.A. 74      | Rear Sight Base                  | 25     |
| B.A. 75      | Rear Sight Elevating Screw       | 15     |
| B.A. 76      | Rear Sight Screw                 | 15     |
| B.A. 173 1/2 | Rear Sight Complete              | 1 00   |
| B.A. 77      | Receiver                         | 7 00   |
| B.A. 78      | Receiver and Stock Dowel         | 15     |
| B.A. 79      | Recoil Spring                    | 15     |
| B.A. 80      | Recoil Spring Plug               | 15     |
| B.A. 85      | Safety                           | 25     |
| B.A. 86      | Safety Detent Plunger            | 15     |
| B.A. 87      | Safety Detent Plunger Spring     | 15     |
| B.A. 88      | Sear                             | 50     |
| B.A. 89      | Sear Pin                         | 15     |
| B.A. 90      | Sear Spring                      | 15     |
| B.A. 91      | Sear Spring Retaining Pin        | 15     |
| B.A. 92      | Stock                            | 3 75   |
| B.A. 93      | Stock Bolt Nut                   | 25     |
| B.A. 94      | Stock Bolt Nut Washer            | 15     |
| B.A. 98      | Trigger                          | 1 25   |
| B.A. 99      | Trigger Plate                    | 7 00   |
| B.A. 100     | Trigger Pin                      | 15     |
| B.A. 106     | Breech Block Button              | 15     |
| B.A. 107     | Breech Block Button Pin          | 15     |
| B.A. 108     | Breech Block Button Spring       | 15     |
| B.A. 112     | Deflector                        | 25     |
| B.A. 49 1/2  | Inner Magazine Tube Complete     | 2 50   |

ORDER PARTS BY CATALOGUE NAME AND NUMBER ---- SPECIFY SERIAL NUMBER OF RIFLE

## New Single Barrel Gun

MADE BY  
THE BEST  
GUN  
MAKERS IN  
THE WORLD




SHELL  
EJECTOR  
FOR ONLY

**\$8.00**

Our new Single Barrel Gun, manufactured especially for us by Harrington & Richardson, who are one of the oldest and most reliable gun makers in the gun business. This gun is fitted with the NEW AUTOMATIC SHELL EJECTOR, has the new designed large style fore-end. The barrels are made of the finest quality of fluid steel and full choke bored. Fully guaranteed and absolutely the biggest gun value of all the low priced guns on the market today. Can be supplied in all sizes, 12, 16, 20 and 410-gauge. This gun will compare with the other guns of \$9.00 or \$10.00 in grade. Price .....\$8 00

The new Special Single Barrel Shot Gun is made of the very best material; has fluid steel barrels; choke bored; pistol grip stock, walnut finish; rubber butt plate; large style fore-end; strong built; fully guaranteed; absolutely the best of the low priced single barrel guns on the market today. Supplied in all gauges.

|           |                                                             |        |           |                                                              |      |
|-----------|-------------------------------------------------------------|--------|-----------|--------------------------------------------------------------|------|
| No. 1230. | Special Single Gun Automatic Ejector, 12-ga., 30-in barrel  | \$8 00 | No. 1628. | Special Single Gun Automatic Ejector, 16-ga., 28-in. barrel  | 8 00 |
| No. 1232. | Special Single Gun Automatic Ejector, 12-ga., 32-in. barrel | 8 00   | No. 2028. | Special Single Gun Automatic Ejector, 20-ga., 28-in. barrel  | 8 00 |
| No. 1630. | Special Single Gun Automatic Ejector, 16-ga., 30-in. barrel | 8 00   | No. 4100. | Special Single Gun Automatic Ejector, 410-ga., 26-in. barrel | 8 00 |



| NO.                             | PRICE  |
|---------------------------------|--------|
| J 1 Barrel                      | \$5 00 |
| J 2 Breech Block                | 1 25   |
| J 3 Breech Block Screw          | 15     |
| J 35 Butt Plate                 | 50     |
| J 36 Butt Plate Screw (2), each | 15     |
| J 6 Butt Stock                  | 2 50   |
| J 8 Escutcheon Head             | 15     |
| J 9 Escutcheon Nut              | 15     |

| NO.                  | PRICE  |
|----------------------|--------|
| J 10 Extractor Pin   | \$1 00 |
| J 11 Extractor       | 15     |
| J 12 Firing Pin      | 25     |
| J 13 Frame           | 4 25   |
| J 69 Front Sight     | 4 85   |
| J 14 Hammer          | 1 25   |
| J 15 Hammer Roll     | 25     |
| J 16 Hammer Roll Pin | 15     |
| J 17 Hammer Screw    | 15     |
| J 18 Locking Lever   | 50     |

| NO.                             | PRICE  |
|---------------------------------|--------|
| J 19 Locking Lever Stop Pin     | \$0 15 |
| J 20 Locking Pin                | 15     |
| J 21 Main Spring                | 50     |
| J 22 Main Spring Screw          | 15     |
| J 70 Rear Sight Lead            | 50     |
| J 71 Rear Sight Base            | 25     |
| J 72 Rear Sight Elevating Screw | 15     |
| J 73 Rear Sight Screw           | 15     |
| J 70 1/2 Rear Sight Complete    | 1 00   |
| J 23 Tang Screw                 | 15     |

| NO.                                    | PRICE |
|----------------------------------------|-------|
| J 24 Tip Stock                         | \$1 2 |
| J 25 Tip Stock Screw                   | 1     |
| J 26 Trigger                           | 7     |
| J 27 Trigger, Block & Extractor Spring | 3     |
| J 28 Trigger Pin                       | 1     |
| J 29 Trigger Spring Screw              | 1     |
| J 30 Whipping Rod                      | 2     |

REMINGTON NO. 4 SINGLE SHOT RIFLE

## SPRINGFIELD DOUBLE BARREL HAMMERLESS GUN

*A Real \$21.00 Gun for \$16.15*

It is manufactured for us by the J. Stevens Arms Co. who have a national reputation as manufacturers of firearms. EXPERT HUNTERS EVERYWHERE HAVE TRIED AND TESTED THIS GUN AND THOUSANDS of this same model have been sold. They give universal satisfaction and are fully guaranteed. We supply it in all sizes, 12, 16, 20 and 410-gauge.

This high-grade gun has proved to be one of the most popular numbers we ever handled. It has made friends wherever used, and the demand for it is steadily increasing. The barrels are Chrome Vanadium Steel; coil main-springs; walnut stock; pistol grip. Supplied in 12, 16, 20 and 410-gauge. Fully guaranteed.

No. 1311—Springfield Double-Barrel Hammerless Shot Gun .....\$16 15

| NO.                            | PRICE  |
|--------------------------------|--------|
| S 1 Barrel                     | \$3 75 |
| S 6 Breech Block               | 50     |
| S 2 Breech Block Spring        | 25     |
| S 3 Breech Block Spring Screw  | 15     |
| S 5 Breech Block Thumb Piece   | 25     |
| S 8 Butt Plate                 | 50     |
| S 9 Butt Plate Screw (2), each | 15     |

| NO.                         | PRICE  |
|-----------------------------|--------|
| S 10 Butt Stock             | \$1 90 |
| S 27 Butt Stock Bolt        | 15     |
| S 11 Butt Stock Bolt Washer | 15     |
| S 12 Extractor              | 40     |
| S 34 Extractor Pin          | 15     |
| S 14 Firing Pin             | 25     |
| S 15 Frame Complete         | 2 50   |
| S 16 Front Sight            | 35     |
| S 17 Hammer                 | 65     |

| NO.                              | PRICE  |
|----------------------------------|--------|
| S 7 Hammer & Block Pin (2), each | \$0 15 |
| S 18 Main Spring                 | 50     |
| S 19 Main Spring Screw           | 15     |
| S 38 Rear Sight Assembled        | 1 00   |
| S 20 Rear Sight Base             | 25     |
| S 21 Rear Sight Elevating Screw  | 15     |
| S 22 Rear Sight Leaf             | 50     |


| NO.                   | PRICE |
|-----------------------|-------|
| S 25 Rear Sight Screw | \$0 1 |
| S 28 Take Down Screw  | 2     |
| S 29 Tip Escutcheon   | 1     |
| S 31 Tip Stock        | 1     |
| S 30 Tip Stock Screw  | 1     |
| S 32 Trigger          | 3     |
| S 37 Trigger Pin      | 1     |
| S 36 Trigger Spring   | 1     |
| S 33 Whipping Rod     | 2     |

REMINGTON NO. 6 SINGLE SHOT RIFLE

# LYMAN SIGHTS

## FOR PRACTICALLY EVERY PURPOSE AND EVERY GUN

### COMBINATION REAR SIGHT



No. 1A                      No. 2A

No. 1A—Lyman Combination Rear Sight with Locking Feature and Built-in turn-down peep. These are exclusive Lyman advantages. The smaller aperture built into the regular aperture prevents danger of losing it, and gives two sizes of aperture always instantly available. Price \$4 50

No. 2A—Lyman Combination Rear Sight similar to No. 1A furnished with detachable disc, but not turn-down peep feature. Price .....\$5 00

### WINDGAUGE RECEIVER SIGHT




No. 34 KR23

No. 34—Lyman Windgauge Receiver Sight for Jag-Jorgensen and Springfield Rifles. Price \$6 50, with disc \$7 00, Tap and Drill .....\$0 50

No. 33—Similar to No. 34, without Windgauge. Price .....\$5 00

### IVORY SIGHTS



No. 3                      No. 4


No. 3—Lyman ivory or gold bead front sight, 1/16" bead. Price .....\$1 00

No. 23—Lyman ivory or gold bead front sight, 3/32" bead. Price .....\$1 00

No. 20—Lyman ivory or gold bead front sight, 1/8" bead. Price .....\$1 00

No. 4—Lyman Special Hunting Front Sight. Ivory bead protected from injury by surrounding metal. Fit all rifles taking regular rifle type of front sight. Price .....\$1 50


### GLOBE TARGET FRONT SIGHT



No. 17A

No. 17A—Globe Target Front Sight with interchangeable inserts. Price complete with seven inserts, \$2 50. For Springfield 1903 and 1922 M.I. Price .....\$4 00

### MICROMETER WINDGAUGE RECEIVER SIGHT



No. 48R

No. 48—Lyman Micrometer Windgauge Receiver Sight for Springfield Rifles. Equipped to take cup disc, and having the turn-down peep. Used by all recent American teams in the International Matches. Is adjustable to half minutes of angle for elevation and eighth points for windage, and is suitable for both hunting and target work. Price .....\$11 00

With disc ..... 11 50

No. 48W—For Winchester 54 Bolt Action Rifle, calibers .270 and .30-'06 Gov't. Does not require tap and drill.

No. 48M—For guns having Mauser Receivers, tap and drill necessary.

No. 48K—For Krag's rifles and Carbines, tap and drill necessary.

No. 48G—For Savage Model 1919—.22 caliber N. R. A. rifle, Savage Sporters, Winchester Models 56 and 57, tap and drill.

No. 48T—For Winchester Model 52—.22 caliber, tap and drill.

No. 48R—For Remington Model 30 Express Rifles. Tap and drill. Price .....\$9 50

### IVORY SIGHTS



No. 26 Win.                      No. 26 Springfield


No. 26—Lyman Ivory or gold bead front sight, 1/16" bead. Price .....\$1 00

No. 32—Lyman ivory or gold bead front sight, 3/32" bead. Price .....\$1 00

No. 24—Lyman ivory or gold bead front sight, 1/8" bead. Price .....\$1 00

No. 26—Lyman ivory or gold bead front sight, 1/16" bead for Springfield Rifle. Price ..\$1 00

### WINDGAUGE RECEIVER SIGHT




No. 38

No. 38—Lyman Windgauge Receiver Sight. Price \$6 50, with disc if desired, .....\$7 00

No. 21—Similar to No. 38, without windgauge. Price .....\$5 00

For Winchester 1886, 1894, 1895, 55, Tap and drill for mounting .....\$0 50

### COMBINATION REAR SIGHT




No. 1—Rem. 12

No. 1—Lyman Combination Rear Sight with turn-down peep feature designed especially for hunting purposes. Available for nearly all Sporting Rifles. Shown as mounted on Remington 12, 14, 24, 25 rifles. Price .....\$4 00

No. 2—With disc for Remington 12, 14, 24, 25 rifles. Price .....\$4 50

### LEAF SIGHT



No. 5B                      No. 6


No. 5B—Lyman Combination Front Sight, reversible globe and ivory or gold bead. Price \$1 75

No. 6—Lyman Folding Leaf Sight. For all American Sporting Rifles. Takes place of factory crotch rear, which should always be removed when Lyman Rear Sight is attached. A valuable auxiliary sight. Both leaves fold down close to barrel when not in use. Price .....\$1 75

### LYMAN



10D IVORY BEAD SHOT GUN FRONT SIGHT      SPANNER WRENCH



TAP      No. 10-D

No. 10D—Special Screw-in Type for Single Barrel Shotguns. Complete with tap and spanner wrench. Price .....\$1 00

No. 11—Lyman, Rear Sight ..... 50


### SPORTING FRONT SIGHT



No. S. F., price, each, net .....\$0 60

### SPORTING REAR SIGHT

Graduated from 50 to 300 yards.



No. W. R., price, each, net .....\$0 95




**GUN—RIFLE AND REVOLVER CLEANERS—OILERS**

**REVOLVER RODS**



No. 400—Revolver rod. Brass rod, 11½ inches long, cocobola revolving handle slotted wiper, adapted for cleaning target revolvers.  
 Price .....\$0 40  
 Brushes No. 246, 246B fit rod 22 to 45 caliber.  
 Price .....\$0 10

**No. 99 MARBLE REVOLVER ROD**




No. 99—The screw capped, nickel plated, brass handle accommodates the other parts, also any make or size of cleaner, size is ¾ by 5 inches. 22, 32, 38 and 45 caliber.  
 Price .....\$1 00

**MARBLE CLEANER**



No. 100—Marble's Cleaner, sections of brass gauze washers on a spirally bent steel wire, will remove all lead, copper, rust or powder residue. 22, 32, 38 and 45 caliber.  
 Price .....\$0 50

**ANTI RUST ROPE FOR SHOT GUNS**



Anti Rust Rope for shot guns. When saturated with oil, makes it impossible to rust or become pitted. Furnished in 10, 12, 16, 20 gauge.  
 Price .....\$0 60


**STAR OIL CAN**

From the many styles and qualities of oil cans on the market we offer the following as being the best in quality and pattern for sportsmen's usage. They are all made of good quality materials and non-leakable.



Price .....\$0 15


**TOMLINSON CLEANERS FOR CLEANING SHOTGUNS**




This cleaner will fit any standard rod, and is so designed as to fit entire length of the inside shot-gun barrels. Absolutely guaranteed to remove all lead from breech to muzzle and leave the barrels perfectly clean.

10, 12, 16 and 20 gauge.  
 Price .....\$0 30  
 Extra sides for above, per pair ..... 15

**ONE DROP OILER**



Ideal for guns and revolvers, small, easy to carry.  
 Price .....\$0 25




No. 9622—Marble Rifle Rod. A jointed brass rod as stiff as a one piece rod. Connections are of steel. Rod has a patented steel swivel which permits the cleaner or cloth to revolve and follow the rifling, getting every particle of dirt, 22, 25 and 28 caliber and up.  
 Price .....\$1 25




No. 9822—Marble Rifle Rod. A jointed steel rod as stiff as a one piece rod. Connections are of steel. Rod has a patented steel swivel which permits the cleaner or cloth to revolve and follow the rifling, getting every particle of dirt, 22, 25 and 28 caliber and up.  
 Price .....\$1 25

**U. S. GOV. RIFLE CLEANER**




No. 250—U. S. Gov. cleaner is a tool which every sportsman and target shooter will appreciate. It consists of a bristle brush and slotted wiper with detachable barrel. Put up in canvas bag. 22 to 50 caliber.  
 Price .....\$0 25

**REVOLVER ROD**




No. 508—Twisted wire revolver cleaning rod, furnished in 22, 32, 38 caliber.  
 Price .....\$0 10

**ANTI RUST ROPE FOR RIFLES AND REVOLVERS**



For rifles and revolvers, when saturated with oil, makes it impossible to rust or become pitted. For rifles 22, 32, 38, 45 caliber.  
 Price .....\$0 60  
 For revolvers 22, 32, 38, 45 caliber.  
 Price .....\$0 30



No. 141B—Four jointed brass rod slotted and jagged, with revolving cocobola handle and threaded tip, to take brass or bristle brushes. Furnished to fit 22, 32, 38, 45 caliber rifles. Put up in canvas bag.  
 Price .....\$0 50

**RIFLE CLEANING BRUSHES**



No. 246—Bristle brush with twisted brass core and shank, 22 to 45 caliber, fits No. 141 and No. 400 rod.  
 Price .....\$0 10

**RIFLE CLEANING BRUSHES**



No. 246B—Brass wire brush with twisted steel core, brass shank, 22 to 45 caliber, fits No. 141 and No. 400 rod.  
 Price .....\$0 10

**SHOTGUN CLEANERS**

No. 506—Twisted wire rifle rod with brush for 22 or 32 Cal., 27 inches.  
 Price .....\$0 10

No. 510—Coppered steel rod with slot and ring handle for 22 Cal. rifles, 28 inches.  
 Price .....\$0 10

No. 513—Brass rod, slotted and knobbed ring handle for 22 caliber rifle, 32 inches.  
 Price .....\$0 25



No. 202 Wool Swab



No. 212 Wire Scratch Brush



No. 232 Flannel Wiper




No. 3GN Two-Prong Wormer

No. 202—Wool Swab—12, 16, 20 gauge. Price .....\$0 10  
 No. 212—Wire Scratch Brush—12, 16, 20 gauge. Price ..... 10  
 No. 232—Flannel Wiper—12, 16, 20 gauge. Price ..... 10  
 No. 3GN—Two-Prong Wormer—12, 16, 20 gauge. Price ..... 15

**SHOTGUN CLEANERS**

**JOINTED WOOD CLEANING ROD**



All rods are furnished with scratch brush, wiper and swab.

No. 95—Birchwood rod, with polished brass trimmings, 10 to 410 gauge.

Price .....\$0 45

**JOINTED WOOD CLEANING ROD**




All rods are furnished with scratch brush, wiper and swab.

No. 59—Cherry wood rod with polished brass trimmings, 10 to 20 gauge.

Price .....\$0.75


**"THE POWERS CLEANING ROD"**



With oil can and screw driver combined. The best rod ever devised, standard size, fits all implements. Made of seamless brass tubing highly polished. 12, 16, 20 gauge.

Price .....\$2 00

**MARBLE'S SHOTGUN ROD**  
Light Metal



Made of solid, light metal— $\frac{3}{8}$ -inch diameter—three sections. Light as wood and stronger. Joints heavily threaded. Knob hold rag for cleaning and oiling 10 to 20 gauge guns. Knob is threaded to take all standard makes of cleaners. Wooden handle that fits the hand. In a cloth bag.

10 to 20 gauge, standard length .....\$1 00

**BRISTLE BRUSHES**



No. 248—Bristle shotgun brush twisted steel core, brass shank and tip, 12, 16 and 20 gauge.

Price .....\$0 50

**BRASS BRUSHES**



No. 248B—Brass shotgun cleaner wire brush, brass shank and tip. 12, 16 and 20 gauge.

Price .....\$0 50

**GUN OIL, SOLVENTS, GREASES**



**THE STAZON GUN KIT**

All four STAZON products come conveniently packaged in the attractive STAZON Gun Kit. This combination contains everything necessary for the care and preservation of all firearms and should be in the gun case of every gun user.

Price .....\$1 00

**Sold Separate**

|                        |        |
|------------------------|--------|
| Chloroil Solvent ..... | \$0 35 |
| Stazon Oil .....       | 30     |
| Stazon Rustoff .....   | 25     |
| Stazon Grease .....    | 15     |

**HOPPE NITRO-SOLVENT**

Hoppe Nitro-Solvent—For cleaning rifles, shotguns, and all firearms. Positively prevents corroding and removes and prevents rust.

Per Bottle .....\$0 35



**REMINGTON GUN GREASE**

It is a great preventive of rust and corrosion. Protects metals from all climatic conditions. Furnished in 5-in. tubes.

Price .....15c

**GUN OILS**

Rem Oil is all Oil. Positively will not gum or stick. The very finest lubricating, cleaning and polishing oil obtainable. Comes in 3-oz. non-refillable cans.

Price .....30c



**REMINGTON POWDER SOLVENT**

For cleaning the bore of guns, rifles, and pistols is without an equal. Neutralizes and acid residue of nitro powders and leaves the interior of the barrel bright as a mirror. Prevents rust and corrosion. In 3-oz. non-refillable cans.

Price .....25c



**REMINGTON RUST REMOVER**

Removes rust from metal surfaces of all kinds. Furnished in 5-in. tubes.

Price .....25c



**VISCOL OIL**

It is easily applied to shoes, and absolutely makes them waterproof, softens the leather and increases their life. It is just the thing for hunting boots as it prevents hardening and cracking of the leather after they have been wet.

Per  $\frac{1}{4}$ -pint cans .....25c

**WINCHESTER UTILITY GUN OIL**

**Winchester Gun Oil**

An excellent preservative that should be applied to the inside of the barrel and to the mechanism after cleaning. This oil will not dry, gum or cake.

3-oz. pat. cans .....25c



**WINCHESER GUN GREASE**

Prevents rust, preserves the luster and finish to metal parts.

2-oz. collapsible tubes .....15c



**3 IN 1 OIL**

**In Bottles**

3 in 1 Oil lubricates chain and bearings, prevents rust and cleans parts of bicycles. Can be used on guns, sewing machines, talking machines. Polishes furniture, etc.

1-oz. Bottle .....15c

**NEW METHOD GUN BLUER**  
Makes old guns like new

Easily applied with a brush. No heating is necessary. Restore the finish on 5 guns in ten minutes.

Price .....\$1 00



**GUN OIL, SOLVENTS, GREASES**



**WINCHESTER RUST REMOVER**

Removes rust from the bores of all kinds of fire arms and from metallic instruments.  
2-oz. collapsible tubes .....25c



**WINCHESTER CRYSTAL CLEANER**

Removes fouling from inside the barrel. Should be used each time immediately after shooting.

3 1/2-oz. bottle .....25c

**3 IN 1 OIL IN HANDY OIL CAN**

Flat can 3 1/2 x 2 1/2 x 3/4 in. with detachable self-sealing spout. Cannot leak, fits into the hip pocket, contains 3 1/2 oz. of 3 in 1 Oil. One of the best oils in use today, light and will not gum or cake, for pistols, rifles and shot guns.

Price .....30c



**NIMROD GUN BLUER**

Blued by chemical action alone. Makes old guns look like new.

Price .....\$1 00

**NOTE**—Don't put your gun away for the spring and summer without greasing metal parts with gun grease. It prevents rusting.

**RECOIL PADS**

Jostam Sponge Rubber Recoil Pad. Sponge rubber pads are the softest on the market. Made of high grade live rubber. Special tacks for each pad, also instruction for fitting.

Single ply sponge rubber 3/4 inch thick. Price .....\$1 50



Jostam Sponge Rubber Recoil Pad. Sponge rubber pads are the softest on the market. Made of high grade live rubber. Special tacks for each pad, also instructions for fitting.

Two ply sponge rubber, 1 inch thick. Price .....\$2 00




**RECOIL PADS**



The New D-W. Recoil Pad. An aid to better scores for that trap gun, duck gun or field gun. Cushion is of fine quality soft chocolate color rubber, vulcanized to a hard black rubber base.

Size A, 5 1/2 x 2 inch.  
Size B, 5 3/8 x 1 3/4 inch.  
Size C, 5 x 1 11-16 inch.

Price .....\$3 25



The No. 12 is made of the best quality chrome leather, with high grade sponge rubber firmly cemented in the laces tightly to the stock, made in the the boot laces tightly to the stock, made in the following sizes:

No. 2—4 1/4 in. long. 1 11-16 in. wide.  
No. 3—5 1/4 in. long. 1 23-32 in. wide.  
No. 4—5 1/2 in. long. 1 1/8 in. wide.

Price .....\$2 00



Jostam Anti-Flinch Recoil Pad. Best grade of live red rubber vulcanized on hard rubber base plate, oblong holes through soft rubber slanting at an angle of 45 degrees. Leading trap and game shooters are using it. 1-inch thick.

Small size, 5 x 1 5/8.  
Medium size, 5 3/8 x 1 3/4.  
Large size, 5 1/2 x 2.

Price .....\$3 25

Jostam Hy-Gun Recoil Pad. Patented alternating holders thru red rubber, increases resiliency and takes up recoil when pressure is brought to bear from discharge. 1-inch thick.

Small size, 5 x 1 5/8.  
Medium size, 5 3/8 x 1 3/4.  
Large size, 5 1/2 x 2.

Price .....\$3 00



Hawkins Pad saves your shoulder and improves your score. Cushion is of live red rubber, soft, pliable 1 1/2 inch thick, vulcanized to a hard rubber base, fitted with 2 screws, made in 2 sizes, 12 gauge and 16 to 20 gauge.

Price .....\$3 25



No. 10—Best grade of russet leather recoil pad, soft sponge rubber cushion, well padded, laces tightly to stock, large medium, and small sizes.  
Price .....\$1 00

No. 13—Fine grade of russet leather recoil pad, rubber cushion, laces tightly to stock, large, medium and small sizes.  
Price .....\$0 75

# THE WINCHESTER REPEATING RIFLES



**\$23.30**

22 Caliber. Model 1890. Weight 5¾ Pounds.

Guns will be furnished only with 24-inch octagon barrels, plain triggers and straight grip rifle stock. They are not made with longer barrels, set triggers or pistol grip stocks.

|         |                                                  |         |
|---------|--------------------------------------------------|---------|
| No. 1.  | Rifle uses 22 short cartridges, 15 shot .....    | \$23 30 |
| No. 2.  | Rifle uses 22 long cartridges, 12 shot .....     | 23 30   |
| No. 2½. | Rifle uses 22 long rifle cartridges .....        | 23 30   |
| No. 3.  | Rifle uses 22 W. R. F. cartridges, 10 shot ..... | 23 30   |

## NEW WINCHESTER LIGHT WEIGHT REPEATING RIFLE




**\$20.25**

Model 1906 Take Down Extra Light Weight .22 Caliber Repeating Rifle

This rifle is now made to take three sizes of cartridges, viz: 22 short, 22 long, and 22 long rifle rim fire. The Magazine holds fifteen 22 short, and twelve 22 long, or 22 long rifle cartridges. 20-inch Barrel, Sporting Front and Adjustable Rear Sights, 12¾-inch Straight Grip Stock. Weight about 5 lbs. Price.....\$20 25

## WINCHESTER MODEL 1903 AUTOMATIC TAKE DOWN RIFLE




This is a 10-shot automatic hammerless rifle using the .22 Winchester automatic cartridge only. The operation, after throwing the cartridge into the magazine, is absolutely automatic, as with all Winchester self-loading rifles. The

Magazine, which is in the stock, is filled through the opening in the stock, the magazine tube first being drawn back.

Round barrel, 20 ins. long, plain trigger, plain walnut stock and forearm, not checkered, weight about 5¾ lbs. Net \$32 00

Price, net ..... Round barrel, 20 ins. long, plain trigger, Fancy Walnut Pistol Grip, Stock and Forearm, Checkered, weight about 6 lbs. \$63 05


# REMINGTON U. M. C. REPEATING RIFLE



Side-Shell Ejector  
No. 12-A

**\$19.85**

**\$22.85**



12-B—Gallery  
12-C—Target


This Solid Breech Hammerless Take Down .22 cal. Repeater is strong and simple in action and has fewer parts than any other repeating rifle. Strong features are the positive extraction and feeding of cartridges and the absolute locking of the action when cocked.

The solid breech protects the shooter's face from blowbacks, gases, etc., and prevents rain, dirt or foreign substances of any kind from entering the action. The ejected shell is thrown out the side, and in no way interferes with the aim. The safety, when set securely, locks the trigger.

No. 12A. "Standard" Grade. Chambered for .22 short, long and long rifle cartridges. Magazine holds 15 .22 short; 12 .22 long or 11 long rifle cartridges; 22 inch round barrel, straight grip walnut stock with rubber butt plate; weight 4½ lbs. Net. \$19 85

No. 12C. "Target." Chambered for .22 short, long and long rifle cartridges. Magazine holds 15 shorts, 12 long or 11 long rifle cartridges; 24-inch octagon barrel; straight grip, walnut stock with steel rifle butt plate; weight 5½ lbs. Net.....\$22 85

## THE NEW REMINGTON .22 CAL. AUTOLOADING RIFLE



**\$25.45**

The Remington .22 Caliber Autoloading Rifle was designed by Mr. John M. Browning, the world's greatest firearms inventor, and is the latest product of his inventive genius and the manufacturing skill and ability of the Remington organization.

In addition to being a noteworthy achievement in design and manufacture, it is the first autoloading rifle to handle successfully the popular and inexpensive ".22 short" cartridge.

Heretofore the ballistics of this deservedly popular cartridge have defied all efforts to adapt an autoloading mechanism to it. Mr. Browning has solved the problem in a rifle of simple construction with few moving parts—the Remington Model 24.

No. 24A. "Standard" Grade. Made in two sizes—.22 short and .22 long rifle rimfire. Both sizes cannot be used in same rifle. Specify which size is desired. Price .....\$25 45

# SMITH & WESSON REVOLVERS

## HAND EJECTOR

Model 1903



Double action with solid frame swing-out cylinder, uses regular .32 S. & W. or the .32 S. & W. Long cartridges, weight 17 3/4 ounces, 3 1/4-4 1/4 inch barrels.

Rub. Stk.

- No. 49. .32 caliber, 3 1/4, 4 1/4 and 6-inch, blued.....\$29 00
- No. 49N. .32 caliber, 3 1/4, 4 1/4 and 6-inch, nickeled..... 29 00

## MILITARY REVOLVERS

Model 1905



Made with solid frame, swing-out cylinder, double action, 6 shot, same as Model 1902, except it has large checkered wood handle; uses .38 long Colt or .38 S. & W. Special cartridges.

Length of barrel for .38 cal. 4, 5 and 6-in. Also supplied to take Chester Rifle cartridge, weight 29 1/2 ounces.

- No. 53. .32 caliber (32 Win.), 4 in., 5 in., or 6 in., blued...\$32 50
- No. 53N. .32 caliber (32 Win.), 4 in., 5 in., or 6 in., nickeled. 32 50
- No. 54. .38 caliber, Long Colt or S. & W. cartridge, blued 32 50
- No. 54N. .38 caliber, Long Colt or S.&W. cartridge, nickeled 32 50

## 22-32 HEAVY FRAME TARGET MODEL

Fitted with Special Target Sights



This arm is similar in every way to Model 1903, hand ejector; fitted with target sights and target stocks, uses the popular ammunition, 22 short, long, and long rifle black or smokeless cartridges, weight 23 ounces, 6-inch barrel.

- No. 1911T. .22 caliber, 6 inches, blued.....\$33 00

**\$30.50**

## REGULATION POLICE MODEL



The Regulation Police is made with the solid frame, swing-out cylinder, double action, 5 shot, same style as model 1905, except it has the light weight frame, checkered wood handles, uses the regular 38 Smith & Wesson Cartridge; 4-inch barrel, blued finish.

- No. 55. .38 caliber, Regulation Police, 4-inch barrel, blued finish. Price .....\$30 50

## MILITARY TARGET MODEL REVOLVER

Target Sights

This is the most popular target model revolver among the revolver club members. It is especially designed for target use, having full equipment with best target sights, large target wood handles checkered, solid frame same as Model 1905, swing-out cylinder, 6 shot, checkered trigger, uses .38 S. & W. special smokeless and special target sharp shoulder cartridges, 6-inch barrel, blued finish.

- No. 169. .38 caliber, 6-inch barrel, blued.....\$37 25

**\$29.00**



## SAFETY HAMMERLESS

New Departure 38 Caliber

Jointed Frame, Automatic Shell Ejector, 38. cal. using Regular 38 S. & W. Cartridge, 3 1/4, 4 and 6-inch Barrels, Blued or Nickel Finish, Black Rubber Stocks, weight about 18 1/2 oz. 5-shot.

- No. 47. Blue, 3 1/4, 4 and 6-inch .....\$29 00
- No. 47N. Nickel, 3 1/4, 4 and 6-inch..... 29 00

## HAMMERLESS SAFETY

32 Caliber



This model Smith & Wesson is made with Automatic Shell Ejector, patent safety attachment, weight 14 1/4 ounces, uses regular .32 S. & W. cartridge, 3-inch barrel only, a very popular number.

- No. 46. .32 caliber, 3 inches, blued .....\$26 75
- No. 46N. .32 caliber, 3 inches, nickeled ..... 26 75

**\$36.75**


## MILITARY

Square Butt, 44 Caliber



Double Action, Solid Frame, Swing-Out Cylinder, 44 caliber using 44 S. & W. Special Cartridge, 6 1/2-inch Barrel, Blued or Nickel Finish, Walnut Checkered Stock, weight 38 1/2 oz., 6-shot. A very popular number for heavy work.

- No. 57. Blue 44 caliber, 6 1/2 barrel .....\$36 75



**\$37.25**

# COLT REVOLVERS

## COLT .22 CALIBER AUTOMATIC TARGET PISTOL, WOODSMAN MODEL



A new Target model, 10-shot, automatic pistol, made for the .22 long rifle rim fire cartridges, 6½-inch full blued barrel, checked English walnut stock, adjustable sights and safety locking mechanism. Length over all 10½ inches, weight 28 ounces. All the advantages of a single shot target pistol, but automatic in action.

No. 22A. Price .....\$32 00  
Extra Magazine ..... 2 00

## POCKET POSITIVE DOUBLE ACTION



This revolver is equipped with a positive lock which is arranged between the face of the hammer and the frame, operating automatically only when the trigger is pulled and at all other times preventing the firing pin from coming in contact with the cartridge, thus insuring against accidental discharge. The frame is solid and jointless and by pulling back the slide on side of revolver the hinged cylinder is released and the empty shells may be simultaneously ejected by one movement of the ejector rod.

Furnished with 2½, 3½ or 6-in. blued barrel at same price. Cylinder holds cartridges of the following sizes:

No. 1. For .32 long Colt. Using both .32 short and long Colt cartridges .....\$26 50  
No. 2. For .32 Police Positive. Also .32 S. & W. short and long cartridges .....\$26 50

## POLICE POSITIVE .32 CALIBER



It is made with a jointless solid frame and simultaneous side ejector and the new positive safety lock.

"The revolver with a grip." Light, compact, high velocity and penetration, and very accurate. An ideal pocket or house arm. Adopted by the Police Departments of the principal cities of the United States and Canada. Checked wood stock, six shots, length of barrel, 2½, 4, 5 and 6 inches; weight with 4-in. barrel, 20 ounces; over all length with 4-in. barrel, 8¼ in.

No. 3. .32 long Colt. Using both .32 short Colt and .32 long Colt cartridges .....\$27 00  
No. 4. .32 Colt Police Positive. Also .32 S. & W. short and long .....\$27 00

THERE SHOULD BE A DEPENDABLE REVOLVER IN EVERY HOME—ONE THAT WILL FUNCTION WHEN YOU NEED IT. BE PREPARED!

## POLICE POSITIVE SPECIAL

This revolver uses the .38 long and short Colt, also the .38 S. & W. special and .38 Colt special cartridges, but is lighter and more compact than any revolver made to handle this powerful ammunition.



Six shot, 4, 5 or 6-inch barrel, blued finish, checked wood stocks. Weighs 22 ounces with 4-inch barrel. Fitted with the Colt Positive Lock.

No. 5S. .38 caliber Police Positive Special.....\$28 50  
No. 5R. For .32-20 Rifle Cartridges ..... 28 50

## OFFICIAL POLICE


An arm without an equal. Medium in size and weight, simple yet strong and absolutely reliable. The Colt Positive Lock removes every liability of an accidental discharge, making it a perfect arm for house and constant use. Six shots 4, 5 or 6 inch barrels, blued finish, checked wood stock, weight 34 ounces.



No. 12. Chambered for .32-20 rifle cartridge.....\$30 00  
No. 14. For .38 long or short Colt's, .38 S. & W. Special, also .38 Colt Special cartridges for use in the same revolver..\$30 00  
No. 14F. For .41 Colt's cartridges, either long or short.... 30 00

## NEW SERVICE DOUBLE ACTION REVOLVER

A heavy particularly strong and serviceable arm, made in large calibers. Adopted by military organizations and mounted police. A most excellent weapon for hunters and campers. Six shot. 4½, 5½, or 7½-inch barrels, weight with 4 inch barrel, 39 ounces.




No. 8. .38-40. Rifle cartridges .....\$34 00  
No. 9. .44-40. Rifle cartridges ..... 34 00  
No. 10. .44 Russian. Full, midrange or gallery load..... 34 00  
No. 11. .45 Colt's. Full, medium or gallery load..... 34 00

THE BIGGEST STOCK OF GUNS IN THE SOUTH. IF YOU DON'T FIND WHAT YOU WANT IN THIS CATALOG, WRITE US—WE HAVE IT.

WIFE AND CHILDREN AT HOME WITHOUT PROTECTION IS NEGLECT

STEVEN'S OFF-HAND TARGET PISTOL

The Hunter's and Trap-  
per's Friend



Barrel—Round with octagon breech; blued, and 8 inch.  
Stocks—Selected black walnut.  
Sights—Sporting rear and bead front.  
Ammunition—22 Long Rifle.  
The Off-Hand Target Pistol is known the world over for its accuracy. For best results use the 22 Long Rifle cartridge, originated by the J. Stevens Arms Co., accurate up to 200 yards.  
No. 35. 6 inch barrel, each .....\$12 50  
No. 35. 8 inch barrel, each ..... 13 25

HARRINGTON & RICHARDSON




**H. & R. 922**

TARGET MODEL

Solid Frame Light Weight Durable

This model of H. & R. is especially designed for target practice. Chambered to take the regular 22 short, long and long rifle rim fire cartridges. Fitted with special target grips, lightweight and beautifully finished.  
A reliable low-priced target revolver. It is also popular on account of the low cost of ammunition.  
For the fisherman who can get target practice when the fish are not biting.  
No. 87. .22 caliber, rim fire, 7-shot, 6-inch barrel, blued finish.  
Each .....\$8 25

HARRINGTON & RICHARDSON




Double Action Revolver  
Model 1906

This is a light weight, small frame, 7 shot revolver which meets with favor everywhere. It uses the .22 short or long rimfire cartridge, 2½-inch barrel, nickel finish.  
No. 80. .22 caliber, 2½-inch barrel, nickel .....\$6 25  
No. 81. .22 caliber, 6-inch barrel, nickel ..... 7 25

DOUBLE ACTION

Model 1904

Heavy Frame



This is a similar revolver to the Model 1906, except that it is a much heavier frame, weight about 16 ounces, and is adapted for the heavier cartridges, supplied to take either the .32 S. & W. centerfire or the .38 S. & W. centerfire cartridges.  
No. 83. .32 caliber, 6 shot, 2½-inch barrel, nickel.....\$6 25  
No. 84. .38 caliber, 5 shot, 2½-inch barrel, nickel..... 6 25  
No. 85. .32 caliber, 6 shot, 4½-inch barrel, nickel..... 6 75  
No. 86. .38 caliber, 5 shot, 4½-inch barrel, nickel..... 6 75

HARRINGTON & RICHARDSON

PREMIER MODEL

This is a very popular model, having a small light frame, weighing only 12 ounces, very desirable for pocket use. Automatic Shell Ejector, double action, supplied for either .22 rimfire cartridge or the .32 centerfire S. & W. cartridge.  
No. 120. .22 caliber, R. F., 5 shot, 3-inch barrel, nickel....\$10 75  
No. 121. .32 caliber, C. F., 5 shot, 3-inch barrel, nickel.... 10 75



REMINGTON  
DOUBLE  
DERRINGER

Remington Double Derringer, double-barrel, 2 shots, 41 caliber, rim fire, blued checkered rubber stock, weight 11 ounces, compact and reliable.  
No. 922. Net .....\$11 50

IVER-JOHNSON REVOLVER

Automatic Ejector



Safety Hammer Automatic Revolver

Fitted with Western Walnut Grip


The new I.J. revolver compares favorably with the much higher priced revolvers. It is equipped with spiral mainspring which means sure, quick action; absolutely safe, it's the Hammer the Hammer style, positive cylinder stop, uses .32 and .38 calibre S. & W. centerfire cartridges.

Blued or Nickel, same Price

- No. 122. .32 caliber, 3 inches, nickel or blued .....\$13 00
- No. 325. .32 caliber, 5 inches, nickel or blued ..... 14 00
- No. 123. .38 caliber, 3¼ inches, nickel or blued..... 13 00
- No. 385. .38 caliber, 5 inches, nickel or blued..... 14 00

I.-J. HAMMERLESS MODEL AUTOMATIC SHELL EJECTOR

Blued or Nickel same Price



- No. 124. .32 caliber, 3-inch barrel, nickel or blued .....\$11 75
- No. 125. .38 caliber, 3¼-inch barrel, nickel or blued..... 11 75
- Pearl Handles, .32 caliber, extra..... 1 75
- Pearl Handles, .38 caliber, extra..... 2 00

ASK FOR OUR COMPLETE CATALOG

THE BIGGEST STOCK OF GUNS IN THE SOUTH. IF YOU DON'T FIND WHAT YOU WANT IN THIS CATALOG, WRITE US—WE HAVE IT.

# HARRINGTON & RICHARDSON

HEAVY FRAME TARGET MODEL



H. & R. "22 Special"

WALNUT TARGET GRIP

This model of the H. & R. is especially adapted for target shooting and is very accurate and reliable, at a moderate price.

For the fishing and hunting trip it can be used to advantage and at the same time a fine arm for target practice. It uses regular .22 short, long and long rifle cartridges. With this style of ammunition it gives a great deal of shooting at a very small expense. Fitted with Special H. & R. Target Grips Automatic Shell Ejector. Absolutely safe, reliable, light weight, and effective.

No. 119. .22 caliber, rim fire, 7-shot, 6-inch barrel, blued finish.  
Each .....\$12 75

## COLT PEARL STOCKS

GENUINE COLT PEARL, WITH COLT MONOGRAM

| No. | B & B                                           |         |
|-----|-------------------------------------------------|---------|
| 1   | Stocks for Colt New Service .....               | \$18 75 |
| 2   | Stocks for Colt Army Special .....              | 11 50   |
| 3   | Stocks for Colt Officers' Model Target .....    | 11 50   |
| 4   | Stocks for Colt Police Positive 32 and 38 ..... | 8 00    |
| 5   | Stocks for Colt Police Positive Special .....   | 8 00    |
| 6   | Stocks for Colt Police Positive .....           | 8 00    |
| 7   | Stocks for Colt Pocket Positive .....           | 6 25    |
| 8   | Stocks for Colt Auto. 38 Military .....         | 10 50   |
| 9   | Stocks for Colt Auto. Pocket 38 Cal. ....       | 10 50   |
| 10  | Stocks for Colt Auto. 380 and 32 Cal. ....      | 7 50    |
| 11  | Stocks for Colt Auto. 25 Cal. ....              | 6 00    |

### B. & B. FANCY PEARL STOCKS, WITHOUT MONOGRAM

| No. | Plain Finish                                                |        |
|-----|-------------------------------------------------------------|--------|
| 12  | For 32 or 38 S. & W. Hammerless .....                       | \$2 00 |
| 13  | For 32 S. & W. Hand Ejector (Mod. 1903) .....               | 2 10   |
| 14  | For 38 S. & W. M. & P. (Special) .....                      | 5 00   |
| 15  | For 38 S. & W. M. & P. (Spec.) Round Handle Mod. 1902 ..... | 3 50   |
| 16  | For 45 S. & W. M. 1917 .....                                | 6 00   |
| 17  | For 44 S. & W. Military M—1908 .....                        | 6 00   |
| 18  | For 25 cal. Colt Auto. ....                                 | 3 00   |
| 19  | For 32 or 380 cal. Colt Auto. ....                          | 4 00   |
| 20  | For 38 Colt Pocket Mod. ....                                | 6 00   |
| 21  | For 45 Colt Auto. ....                                      | 11 25  |
| 22  | For 32 Colt Pocket Positive .....                           | 2 50   |
| 23  | For 32 Colt Police Positive .....                           | 4 25   |
| 24  | For 38 Colt Police Positive Special .....                   | 4 25   |
| 25  | For Colt Army Special .....                                 | 6 00   |
| 26  | For Colt New Service .....                                  | 10 50  |
| 27  | For 32 or 38 H. & R. ....                                   | 1 75   |
| 28  | For 32 or 38 H. & R. Auto. Ejector .....                    | 1 75   |
| 29  | For 22 or 32 H. & R. Premier .....                          | 1 75   |
| 30  | For 32 or 38 Iver-Johnson D. A. ....                        | 1 75   |
| 31  | For 32 or 38 Iver-Johnson, Auto. Ejector Model .....        | 1 75   |

# COLT AUTOMATIC PISTOLS

The style and principle of the automatic action in all caliber are identical.

The pulling of the trigger and the utilizing of the recoil explodes the cartridge, ejects the empty shell, and places a fresh cartridge in the chamber. This movement takes place with great rapidity, it being possible to fire 5 shots per second.

The magazine, which is removable is concealed in the handle of the pistol and the several different sizes of cartridges are thin rimless, smokeless type, and are made with both soft point and metal cased bullets. The hammerless models are equipped with two safeties to prevent accidental discharge.

### HAMMERLESS POCKET MODEL .25 CALIBER

The smallest and most powerful pocket repeating pistol made. Has a 2-inch barrel, measures 4½ inches over all and weighs only 13 ounces. The two safeties, the slide lock safety on the side and the grip safety, prevent accidental discharge. Magazine holds 6 cartridges.  
No. 25. .25 cal., blued fin., checked wood stock, each .....\$17 00  
Extra Magazines, each ..... 1 00



### HAMMERLESS POCKET MODEL .32 CALIBER

Of the same construction and action as the .25 caliber. Weights 23 ounces, 3¾-inch barrel. Length over all 6¾ inches Magazine capacity 8 cartridges. Blued finish, checked wood stocks.

No. 30. .32 caliber. Each .....\$20 50  
Extra Magazines. Each ..... 1 00



### HAMMERLESS POCKET MODEL .380 CALIBER

The action, size, and weight of this pistol is the same as the .32 caliber. Shoots a special, smokeless, rimless cartridge. Magazine capacity 7 cartridges.

No. 380. .380 caliber. Blued finish, checked wood stocks.  
Each .....\$20 50  
Extra Magazines. Each ..... 1 00

### CALIBER .45—GOVERNMENT MODEL (With Grip and Slide Lock Safeties.)

#### Specifications:

Capacity of Magazine, 7 shots; length of barrel, 5 inches only; length over all, 8½ inches; weight, 39 ounces; finish, full blued, with checked Walnut stocks.

This new Colt Automatic Pistol, caliber .45 (known as the Government Model), was officially adopted by the United States Government after years of searching investigation and the most rigid tests of American and foreign makes. It is the most powerful Automatic Pistol made, and proved its superiority over all others in accuracy, reliability, simplicity and durability.

No. 31. .45 Colt Automatic, each .....\$36 75  
Colt Automatic Cartridges, per box ..... 2 50



REMEMBER! LAW REQUIRES REVOLVERS SENT BY EXPRESS ONLY